

**Town of Sellersburg Town Council
Garbage Packer Workshop Meeting Minutes
316 E. Utica Street, Sellersburg, IN 47172
February 14, 2022**

Called to Order:

President Brad Amos called the meeting to order at 5:12 p.m.

Present:

Council Members Amos, Mobley and Langford, Town Attorney Jacob Elder, Town Manager Charlie Smith, Town Council Executive Secretary Michelle Medcalf, Clerk Treasurer Michelle Miller, Streets & Sanitation Supervisor Scott Griffin and Streets and Sanitation Team Members Cliff Hardin and Tony Lewis and Charlie Parsley with Best Equipment.

Absent:

Council Member Scott McVoy was absent.

Topic of Discussion:

Packer truck purchase and repairs.

Adjournment:

Motion/Second to adjourn the meeting: Czarnecki/Mobley
motion approved.

Vote: 4-aye, 0-nay,

Time adjourned: 5:53 p.m.

Minutes approved this 14th day of March, 2022

Brad J. Amos, Council Member

Matt Czarnecki, Council Member

Scott McVoy, Council Member

Terry Langford, Council Member

Randall Mobley, Council Member

Attest: Michelle D. Miller, Clerk Treasurer



SALES | SERVICE | PARTS

EXPERTS IN MUNICIPAL AND CONTRACTOR
ENVIRONMENTAL SOLUTIONS SINCE 1917

Sales Proposal for Town of Sellersburg Indiana

PREPARED ESPECIALLY FOR

Charlie Smith
Town Manager
Town of Sellersburg Indiana

PREPARED BY

Charles Parsley
Southern Indiana Sales
Best Equipment Company, Inc.

Terms and Conditions

Quotation

This document is for quotation purposes only. Do not pay from this quotation. An invoice will be prepared and sent for final total due.

New Equipment Warranty Terms

For new equipment sales, Standard Manufacturers warranty apply. Warranty Statements are available upon request.

Used Equipment Warranty Terms

Used Equipment is sold as is, where is, with no warranty stated or implied.

Taxes

If any tax figures are included, they are deemed reliable but not guaranteed. Exact taxes will be calculated at the time of invoice.

Trade Title

A copy of trade title, if applicable, is due at time of the agreement. Original trade title is due at delivery of purchased equipment.

Payment

All payments for the Equipment are due from Buyer on the date of the invoice unless other terms are agreed to in writing between the Seller and Buyer. Contractors are COD.

Delivery

Delivery dates are estimations. Best Equipment Company, Inc. does not guarantee delivery dates. Best Equipment Company, Inc. is not financially responsible for lost time, revenue, or any other losses. Liability of the goods/equipment in this sales quote transfers to the buyer, once the equipment is unloaded /delivered to the buyer, as acknowledged by the signature of this sales quote.

COVID and Supply Chain

Due to the volatile nature of the market and ongoing supply chain constraints, prices and lead times are subject to change without notice.

Acceptance

Sign Below for Acceptance of this Sales Proposal and all Terms and Conditions.

This agreement is binding. By signing, you agree that you are authorized to enter into this contract.

Charlie Smith
Town Manager
Town of Sellersburg Indiana

☐ Sales Tax Exempt

Michelle Medcalf

From: Scott Griffin
Sent: Wednesday, January 26, 2022 2:25 PM
To: Michelle Medcalf
Subject: Fwd: [External] Side loaders
Attachments: L4633.pdf; Labrie ASL Spec Sheet.pdf

Follow Up Flag: February 14, 2022 | TC Meeting
Flag Status: Flagged

Categories: Town Council | Follow-up

Sent from my Verizon, Samsung Galaxy smartphone
Get [Outlook for Android](#)

From: Tom Dios <tomd@premiertrucksales.com>
Sent: Tuesday, January 25, 2022 1:12:02 PM
To: Scott Griffin <sgriffin@sellersburg.org>
Subject: RE: [External] Side loaders

Scott,

Here is a build sheet for one of our 2021's. They're all spec'd the same because they go into our rental fleet.

Thanks,

Tom

From: Scott Griffin <sgriffin@sellersburg.org>
Sent: Tuesday, January 25, 2022 11:47 AM
To: Tom Dios <tomd@premiertrucksales.com>
Subject: Re: Side loaders

[WARNING: External email, Please report suspicious emails by forwarding the email to infosec@premiertrucksales.com]
Hello Tom could you give me written specs on this, Our board of trustees will not accept just an email thank you very much.

Sent from my Verizon, Samsung Galaxy smartphone
Get [Outlook for Android](#)

From: Tom Dios <tomd@premiertrucksales.com>
Sent: Tuesday, January 25, 2022 9:25:22 AM
To: Scott Griffin <sgriffin@sellersburg.org>
Subject: [External] Side loaders

Scott,

Cliff Hardin asked me to send you information about the Automated Side loaders we have coming back from rent.

2020 & 2021 Mack LE

MP7-355hp

Allison Automatic

20,000# front

46,000# rears

31 yard LaBrie body

They will have between 30,000 and 45,000 miles

All factory warranties including the 5 year engine and after treatment transfer to you automatically

They will be fully serviced, detailed, and ready to work

The price will be between \$279,500 and \$299,500

I look forward to your thoughts.

Thank you,

Tom Dios

Sales Representative

Premier Truck Sales & Rental, Inc. 7700 Wall St., Cleveland, OH 44125

toll free: 800.825.1255

cell: 216.219.3060

direct: 216.393.8124

fax: 216.674.8887

tomd@premiertrucksales.com [Check out our NEW Campus Video](#)



Confidentiality Notice: This message and any attachments are for the designated recipient only and may contain privileged, proprietary, or otherwise private information. If you have received it in error, please notify the sender immediately and delete the original. Any other use of the email by you is prohibited.

This email has been scanned for spam and viruses by Proofpoint Essentials. Click [here](#) to report this email as spam.

This email has been scanned for spam and viruses by Proofpoint Essentials. Click [here](#) to report this email as spam.



VIN: 1M2LR2GC9MM004010
Order Number: 077507
Build Date:
In Service Date: 03/12/2020

Page 1 of 9

MODEL DEFINING

Code	Description	Family
001AA3	TRUCK	VEHICLE TYPE
506026	6X4	NUMBER OF AXLES
51AACX	BRAND MACK	BRAND
5290LR	ALL LR MODELS	MODEL INDENT CONDENSED
774AB4	FRONT AXLE POSITION 3000	FRONT AXLE POSITION
AA29X	MACK CAB OVER PRODUCTS	PRODUCT CLASS
A8XLX	MACK CAB OVER ENGINE, LOW FLOOR HEIGHT 6'4 RIGID	PRODUCT TYPE
CKXG2X	CAB OVER ENGINE, LOW CAB POSITION	VEHICLE PROFILE
DAX15X	6 WHEELS THEREOF 4 DRIVING	AXLE ARRANGEMENT
DDX15X	TRUCK TYPE (PLATFORM, TIPPER, ETC.)	CHASSIS TYPE
FYX26X	XM = 3000 MM, FRONT AXLE POS.	FRONT AXLE POSITION
LAX05X	ELECTRICAL SYSTEM 12 VOLT	VOLTAGE
M29907	LR64	MODEL CODE
M91020	US DOLLARS	
PT108B	OL 64R LR	PRODUCT TYPE
US0010	TSP with MMC BACK OFFICE PROCESS (PROBUILDER)	

MODEL DEFINING: 16 Items

VEHICLE INFO

Code	Description	Family
0029V2	LR 64R DAYCAB	CHASSIS (BASE MODEL)
5R2023	LR 64R DAYCAB	
006AA2	SELECT AN APPLICATION	BODY TYPE/ON-OFF HWY APLN
013001	COMMERCIAL	TYPE OF SERVICE
022001	NO PILOT REQUESTED	PILOT INSPECTION
032A89	ON-OFF HIGHWAY, STARTING GRADES <18%	
033A60	LANDFILL LOADING AND / OR UNLOADING SURFACE	
0342A4	REFUSE / LANDFILL OPERATION	
1YAA1X	CARB REGULATIONS CERTIFICATION	USA STATE REGULATIONS
36XDZX	ENGLISH DECALS/SIGNS	LANGUAGES ON DECALS/SIGNS
38XAEX	1ST PUBLICATION LANGUAGE AMERICAN ENGLISH	FIRST PUBLICATION LANGUAGE
39XE1X	CERTIFICATION LABELS, USA	CERTIFICATION LABELS
505015	ALL 50 STATES, CARB ENGINE EMISSION (US17 / US21 / ZERO EMIS	INITIAL REGISTRATION LOCATION
534014	ENGLISH	LANGUAGE
916016	CUSTOMARY - ENGLISH UNITS	DIMENSION CONVERSION
98XB2X	NORTH AMERICA NA-PROD	MARKET + AREA
99X93X	FACTORY MACUNGIE	FINAL ASSEMBLY PLANT
9PXGWX	UNITED STATES OF AMERICA	MARKET IN MAR
A19069	2021 MODEL YEAR	
APPAA3	CLASS 8 HIGHWAY-INNER CITY	VEHICLE APPLICATION CLASS
CAR02R	90000 LB (41000 KG) GCW/GVV	CARRIER APPLICATION
DX99X	TRUCK ONLY - NO TRAILER TOWING PROVISIONS PROVIDED	GROSS COMBINATION WEIGHT (CA)
FDXD1X	2 REAR AXLES, 2 DRIVEN	REAR AXLE ARRANGEMENT
J7DASX	PRODUCTION ORDER PLANNING, MEDIUM LEAD TIME	
M45001	RETAIL OR STOCK - CUSTOM SPECIFICATIONS	
M98018	US - WARRANTY REGISTRATION LOCATION	ORDER TYPE REQUIREMENTS
MOCC08	OPERATING CLASS 8	
MP12D1	LR 64R	
MP2001	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY	CUSTOMER FLEET SIZE
OSCK1X	REFUSE COLLECTION BODY	
PB10B1	2008-10-07	
Q050T5	REFUSE AUTOMATIC SIDE LOADER TRUCK	VEHICLE USE & BODY/TRAILER TYPE

VEHICLE INFO: 32 Items

ENGINE/TRANSMISSIONS

Code	Description	Family
U9AD6X	2ND HIGHEST GEAR RATIO, 0.76	SECOND HIGH GEAR RATIO TRANS
U6AA1X	ENGINE GOVERNOR TYPE MIN-MAX	ENGINE GOVERNOR TYPE
1000U0	MP7-355A MACK 355HP @ 1500-1800 RPM (PEAK) 2100 RPM (GOV) 12	ENGINE
136A56	4500 RDS 6 SP-ALLISON RUGGED DUTY SERIES GEN 5 W/PROGNO	TRANSMISSION
2MCA1X	GREEN HOUSE GAS COMPLETE VEHICLE & COMPLETE CERTIFICATION	VEHICLE GHG CERTIFICATION
3GC81X	GREEN HOUSE GAS VOCATIONAL APPLICATION	GHG APPLICATION, VEHICLE
3TAC1X	ENGINE POWER 355HP	ENGINE POWER
503043	MACK MP7 SERIES	ENGINES-GENERAL DESCRIPT
512032	ALLISON	TRANSMISSION VENDOR
6WAAAX	DRIVELINE POWER, DIESEL	DRIVELINE POWER TYPE
868028	HYDRAULIC TRANSMISSION	AUTOMATIC TRANSMISSION
9DCC1X	COOLANT PUMP SPEED RATIO, FIXED	COOLANT PUMP SPEED RATIO
B969A6	EPA-2017 DIESEL ENGINE W/CEGR/DPF/SCR	ENGINE EMISSIONS LEVEL
CJXAAX	EXHAUST GAS RECIRCULATION, COOLED	EXHAUST GAS RECIRCULATION
DPXN2X	11 L PROPRIETARY ENGINE	ENGINE TYPE
H18AAX	TURBO SINGLE STAGE	TURBO TYPE FOR 2017
HEX05X	VPT ENGINE	ENGINE MANUFACTURER
HFXRAX	2100 RPM, GOVERNED ENGINE RPM	GOVERNED ENGINE RPM



Year Model: 2021 LK04
VIN: 1M2LR2GC9MM004010
Order Number: 077507
Build Date:
In Service Date: 03/12/2020

Page 2 of 9

HHXJ2X	1710 NM ENGINE TORQUE (1260 FT-LB)	ENGINE TORQUE RANGES
KTXVPX	ENGINE EMISSION, LEVEL USA2017	ENGINE EMISSION CONTROL
O8AE1X	ENGINE PTO TORQUE CAPACITY 1000NM	ENGINE PTO TORQUE CAPACITY
Q1CA1X	GEAR SELECTION TUNING, BASIC	GEAR SELECTION TUNING
QPXAAx	TRANSMISSION APPLICATION BASIC	Transmission Application
QWXALX	TURBO BASIC DESIGN	TURBO
REXC1X	CRANK CASE VENTILATION OPEN EXTENDED	CRANK CASE VENTILATION
RRXASX	TRANSMISSION GENERATION 5, ALLISON	TRANSMISSION GENERATION
RTXL0X	HYDRAULIC TRANSMISSION	TRANSMISSION TYPE
RUXE1X	POWER SHIFT (AUTOMATIC TRANS)GEAR SHIFTING	GEAR SHIFTING SYSTEM
RWXBOX	6 SPEED ALLISON 4500 SERIES WITH PTO PROVISION	TRANSMISSION
RXXBCX	ALLISON HD TRANSMISSION	TRANSM. MANUFACTURER
T0XA1X	TRANSMISSION OIL LEVEL SENSOR - ELECTRONIC	TRANSMISSION OIL LEVEL SENSOR
U3AD7X	HIGHEST GEAR RATIO, 0.67	HIGH GEAR RATIO (TRANSMISSION)
O8ABFX	3.00 DEGREE ENGINE CRANK ANGLE	ENGINE CRANK ANGLE

ENGINE/TRANSMISSIONS: 33 Items

EXHAUST/EMISSIONS

Code	Description	Family
0RAJ1X	DPF REG CONTROL, AUTO IN MOTION, MANUAL STATIONARY	REGENERATION CONTROLS, DPF
130AC7	SINGLE VERTICAL RIGHT SIDE OUTBOARD MOUNTED STRAIGHT EXH STA	EXHAUST
1LAB1X	SELECTIVE CATALYST REDUCTION, VERTICAL RH SIDE BOC	SCR ORIENTATION
5BAAAX	EXHAUST HEAT SHIELD TYPE, BASIC	EXHAUST HEAT SHIELD TYPE
78AC8X	EMISSION OBD, DISPLAY ONLY, USA2020	
9KAB1X	IDLE EMISSION CERTIFICATION, CARB 08	IDLE EMISSION CERTIFICATION
CIR02R	IDLE EMISSION CERTIFICATION, CARB 08	
DF1021	6.6 GALLON (25 L) 22" LEFT SIDE FRAME MOUNTED	DEF TANK
DPFAA3	CLEARTECH VV DPF VERTICAL LH SIDE BACK OF CAB W/SCR VERT RH	DPF DIESEL PARTICULATE FILTER
G8BA1X	AD-BLUE TANK MTG LOC, FRAME RAIL	AD-BLUE TANK MOUNTING LOCATION
K0XC4X	STRAIGHT STACK, SIDE OUTLET DIFFUSER BOX	EXHAUST STACK FEATURES
KLXD1X	EXHAUST DIRECTION, VERTICAL RIGHT	EXHAUST DIRECTION
K5XC5X	SELECTIVE CATALYST REDUCTION + DIESEL PART. FILTER CERAMIC	EXHAUST AFTERTREATMENT SYSTEM
MLXBEX	DEF TANK 25 LITER LEFT HAND SIDE	AD-BLUE TANK LEFT HAND SIDE
Q0AA1X	STANDARD EXHAUST SYSTEM MATERIAL FINISHING	EXHAUST SYSTEM MATERIAL FINISH
TSAF1X	DIESEL PARTICULATE FILTER, VERTICAL LH SIDE BOC	DPF ORIENTATION
TOXABX	DEF TANK MATERIAL, PLASTIC	AD-BLUE TANK MATERIAL
U0XA1X	SEMI RECTANGULAR DEF TANKS FOR DIAM 56 BRACKETS	AD-BLUE TANK SHAPE
V5CC1X	OBD EMISSIONS, CONSEQUENCE 1	OBD EMISSIONS CONSEQUENCE

EXHAUST/EMISSIONS: 19 Items

ENGINE EQUIPMENT

Code	Description	Family
VHXECX	WABCO AIR DR, 1800P W/O T CUT OFF VALVE, W COALESC OIL FILTE	AIR DRYER - MANUFACTURER
QHXC1X	OIL SUMP STEEL	OIL SUMP
Y6EAAX	COOLANT COMPOSITION, ETHYLENE	
110AAS	MACK MP7 POWERLEASH	ENGINE BRAKE
118AB8	BEHR FAN AND ELECTRONIC MODULATING VISCOUS FAN DRIVE	FAN DRIVE
119AG9	ETHYLENE GLYCOL EXTENDED LIFE COOLANT (50/50 MIX DYED RED) T	
124003	SILICONE W/ SPRING LOADED CLAMPS FOR BOTH RADIATOR & HEATER	HOSES - RADIATOR/HEATER
1250C5	13" SINGLE ELEMENT, DRY TYPE W/SNORKEL BEHIND CAB, AIR RESTR	
131AA4	12 VOLT DELCO 39MT-MXT	STARTER
132AB8	DELCO 12V 165A (36SI) BRUSHLESS W/ REMOTE VOLTAGE SENSING	ALTERNATOR
140AA1	ALUMINUM	FLYWHEEL HOUSING
1UAAAX	AIR CLEANER HOUSING MATERIAL, STEEL	AIR CLEANER HOUSING MATERIAL
293AA2	MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER)	FUEL-WATER SEPARATOR
316AA6	(3) MACK 12V 650/1950 CCA THREADED STUD TYPE	BATTERIES
318AA3	FLAMING RIVER BIG SWITCH WIRED TO POSITIVE SIDE	BATTERY DISCONNECT SWITCH
36AB1X	TETHER PK2: BATT BOX COVER	TETHER DEV PKG, CAPS & COVERS
393AD9	PERPENDICULAR TO FRAME 11" FROM NTOF (3 BATTERY MAX)	BATTERY BOX - MOUNTING
3EAB1X	MAIN SWITCH, FLAMING RIVER	MAIN SWITCH MANUFACTURER
40AB1X	COOLING HOSES CLAMP, GENERIC SPRING LOAD TYPE	COOLING HOSES CLAMP OPTIONS
4CCC1X	ALTERNATOR CABLE AMP RATING, LOW (UP TO 165 AMPS)	ALTERNATOR CABLE AMP RATING
4TBA1X	ENGINE BLOCK HEATER RECEPTACLE, BASIC LOCATION	ENGINE BLOCK HEATER RECEPTACLE
5NXA1X	110 VOLT / 1.5 KW, ENGINE BLOCK HEATER	ENGINE BLOCK HEATER
64AA1X	ALTERNATOR MANUFACTURER-DELCO	ALTERNATOR MANUFACTURER
G8XA1X	AIR INTAKE PRE-CLEANER, DRY TYPE	AIR INTAKE PRE-CLEANER
H9XN1X	EXTRA NARROW RADIATOR WITH LENGTH 1 (60 DM2)	RADIATOR TYPE
HLX10X	SILICONE COOLANT HOSE	COOLANT HOSE
HTXK1X	COMPRESSION+EXHAUST BRAKE,VARIABLE GEOMETRI TURBO (W/O EPG)	ENGINE BRAKE TYPE
HWXD1X	COOLANT FILTER/CONDITIONER, LONG LIFE, NO ADDITIVES	COOLANT FILTER / CONDITIONER
J3XA3X	DUAL ENGINE MOUNTED FUEL FILTER, 2 STEP W. WATER SEPARATOR	FUEL FILTER SECONDARY
JAXA2X	41 DEG. C ATB COOLING CAPACITY	COOLING CAPACITY
J5XA5X	VISCOUS FAN CLUTCH, ELECTRIC CONTROLLED, LOW NOISE	FAN CLUTCH TYPE
JTXAAX	BEHR FAN CLUTCH	FAN CLUTCH MANUFACTURER
JVXBAX	FUEL FILTER, WATER SEPARATOR, GENERIC	PRIMARY FUEL FILTER
JWXA1X	HIGH AIR INTAKE	AIR INTAKE



Year Model: 2021 LR04
 VIN: 1M2LR2GC9MM004010
 Order Number: 077507
 Build Date:
 In Service Date: 03/12/2020

K9X09X	ANTI-FREEZE -37C (-34F) EXTENDED LIFE COOLANT	COOLANT
K0XB1X	MEDIUM AIR CLEANER	AIR CLEANER SIZE
L4X29X	LH SIDE BATTERY BOX, PERPENDICULAR TO FRAME , HIGH OFFSET	BATTERY BOX MOUNTING
L5XA1X	BASIC BATTERY BOX COVER	BATTERY BOX COVER
L8XA1X	3 BATTERIES, 650 CCA	BATTERY CAPACITY
L9XA1X	GENERIC BATTERY	BATTERY MANUFACTURER
MCA04A	120v 1500w BLOCK HEATER ONLY (120V-15A PLUG)	
MOXAAX	BATTERY SHOCK PADS	BATTERY ISOLATION
NCXA5X	12V STANDARD STARTER DELCO 39MTHD	STARTER
NFXA0X	MECHANICAL MAIN SWITCH	MAIN SWITCH
PJXM3X	12V 165AMP W/ REMOTE SENSE	ALTERNATOR CAPACITY
Q8AB1X	ONE BATTERY BOX, 3 BATTERIES MAX.	B-BOX QTY AND BATT PER BOX
VWXCAX	2 CYL. 900 L/MIN COMPRESSOR	COMPRESSOR CAPACITY

ENGINE EQUIPMENT: 47 Items

CLUTCH/TRANS EQUIPMENT

Code	Description	Family
133AA1	OMIT CLUTCH	CLUTCH
THXABX	PROPELLER SHAFT MANUFACTURER, ARVINMERITOR MXL SERIES	PROPELLER SHAFT MANUFACTURER
195AB0	MERITOR 18 MXL "XTENDED LUBE" (PROPS-L)	DRIVELINE - MAIN
204AA5	MERITOR 17 MXL "XTENDED LUBE"	DRIVELINE - INTERAXLE
442022	FURNISH TC541 FOR USE W/ALLISON (HD) SERIES WORLD TRANSMISSI	TRANS TORQUE CONVERTER
4LDA1X	TRANSMISSION OUTPUT TORQUE BASIC	
76AA1X	PROPELLER SHAFT MAIN, UNIVERSAL JOINT HALF-ROUND TYPE	PROPELLER SHAFT MAIN, UNIVSL JNT
77AA1X	PROP SHAFT DIMENSION, INTERAXLE, SMALL	PROP SHAFT DIMENSION INTERAXLE
7RXAEX	SYNTHETIC OIL IN TRANSMISSION, TRANSYND W40-10	LUBRICANTS, TRANSMISSION
8WAAAX	PROP SHAFT INTERAXLE, UNIV JOINT HALF-ROUND TYPE	PROP SHAFT INTERAXL UNIV JOINT
904014	HALF-ROUND	DRIVESHAFT UNIVERSL JOINT
K1DA1X	TRANSMISSION OIL PROPERTIES, BASIC	TRANSMISSION OIL PROPERTIES
RCXB1X	ALUMINUM BELL HOUSING	BELL HOUSING
RVXG1X	GEAR SHIFTING, BASIC	GEAR SHIFT LEVER
SL4054	TRANSYND SYNTHETIC LUBE	SYNTHETIC LUBRICANT - TRANSMISSION
T2XD1X	HYDRAULIC TRANSMISSION OIL COOLER, WATER/OIL	TRANSMISSION/RETARDER COOLER
139AA7	ALLISON TRANSMISSION W/DIRECT MOUNT COOLER	TRANSMISSION OIL COOLER

CLUTCH/TRANS EQUIPMENT: 17 Items

FRONT AXLE EQUIPMENT

Code	Description	Family
0KXA1X	BASIC MATERIAL HUB (STEEL/CAST IRON) ,FRONT	HUB MATERIAL, FRONT
ZGXC1X	HUBCAP, FRONT, BASIC	FRONT HUBCAP TYPE
1KAA1X	SHOCK ABSORBER, FRONT	SHOCK ABSORBER, FRONT
240AA3	20000# (9100 KG) MACK FXL20 WIDE PIVOT CENTER STRAIGHT SPIND	FRONT AXLE
241081	MERITOR "S" CAM TYPE 16.5" x 6" Q+	BRAKES - FRONT
244AB4	MACK TAPERLEAF 20000# (9100 KG) GROUND LOAD RATING, EQUAL BI	SPRINGS - FRONT
245AA6	M100P PLUS RIGHT SIDE ASSIST CYLINDER	STEERING
25AA1X	BUMP STOP, FRONT SUSPENSION, FRAME MTD	BUMP STOP, FRONT SUSPENSION
385A1X	DOUBLE ACTING TYPE	SHOCK ABSORBERS - FRONT
496001	SINGLE FRONT AXLE	
7VXC1X	PETROLEUM/SYNTHETIC (50/50) OIL FRONT AXLE	
FTXD1X	LOW GROUND CLEARANCE-HIGH OFFSET	GROUND CLEARANCE F.A.
FUXC1X	FRONT AXLE, UNIT BEARING	FRONT AXLE CONCEPT
FVXH1X	FRONT AXLE LOAD 9.1 TONNES (20000 LBS)	FRONT AXLE LOAD
FWXA1X	FRONT AXLE	FRONT AXLE MANUFACTURER
FXXG1X	1 * 9.1 TONNES, FRONT AXLE	FRONT AXLE TYPE CAPACITY
FZXA1X	1 FRONT AXLE, 0 DRIVEN	FRONT AXLE ARRANGEMENT
K4AAAX	BASIC (NO OPTION) SPINDLE NUTS, FRONT	
LQXABX	BRAKE LINING MATERIAL FRONT, MERITOR / R403	BRAKE LINING MATERIAL FRONT
Q5BE1X	FRONT BRAKE CHAMBER 30SQ INCHES (SERVICE)	FRONT BRAKE CHAMBER SIZE
SL69A6	FACTORY OPTION FRONT WHEEL BEARINGS LUBRICANT	
U0AA1X	FRONT BRAKE ADJUSTMENT, AUTOMATIC HALDEX	FRONT BRAKE ADJ. MANUFACTURE
U3XA1X	FRONT BRAKE, CAST IRON BRAKEDRUM,	BRAKE, FRONT
USXB1X	BRAKE LINING 150MM, FRONT	BRAKE DIMENSION, FRONT
UDXZ1X	FRONT BRAKES WITHOUT DUST SHIELDS	FRONT AXLE BRAKE DUST SHIELD
V4AA1X	FRONT WHEEL BRAKE TYPE, "S" CAM (CAST)	WHEEL BRAKE TYPE, FRONT
V7AD1X	FRONT BRAKE CHAMBER MANUFACTURER, MGM	FRONT BRAKE CHAMBER MFG.
X8AA1X	FRONT WHEEL BRAKE MANUFACTURER, MERITOR	WHEEL BRAKE MANUFACTURE, FRONT
XAXBFX	STEERING GEAR RATIO 18.9, FIXED	STEERING GEAR RATIO
XEXA1X	LINEAR ASSIST CYLINDER	POWER STEERING AUX. ASSIST
YFXA1X	PARABOLIC SPRING (NORMAL STIFFNESS) FRONT	FRONT SPRING TYPE
YKXA1X	LEAF (MECHANICAL) SUSPENSION ,FRONT	FRONT SUSPENSION SYSTEM
18XBDX	FAG SCHAEFFLER, FRONT HUB OIL SEAL	HUB OIL SEAL, FRONT

FRONT AXLE EQUIPMENT: 33 Items

REAR AXLE EQUIPMENT

Code	Description	Family
256AA3	POWER DIVIDER LOCKOUT W/WARNING LIGHT AND BUZZER (INCLUDES I	POWER DIVIDER LOCKOUT
254AB5	DRIVER CONTROLLED INTER WHEEL DIFFERENTIAL LOCK ALL RR AXLES	TRACTION DIFFERENTIAL



rear model: 2021 LR64
VIN: 1M2LR2GC9MM004010
Order Number: 077507
Build Date:
In Service Date: 03/12/2020

Page 4 of 9

268AA9	46000# (20900kg) MACK S462R CAST DUCTILE HOUSING	REAR AXLE/SUSPENSION - TANDEM
269054	54" AXLE SPACING (BOGIE WHEELBASE)	
300AD0	MGM TR-T; TAMPER-RESISTANT BRAKE CHAMBERS	SPRING BRAKE CHAMBERS - VENDOR
38AJCX	MACK TANDEM CARRIER, CRD150/151	REAR AXLE DIFF CARRIER TYPE
3GAA1X	BRAKE CHAMBER DIAPHRAGM, BASIC	BRAKE CHMBR DIAPHRAGM MATERIAL
3LAC1X	DIFFERENTIAL LOCK SWITCH, BUZZER & LIGHT	DIFFERENTIAL LOCK SWITCH
4AAA1X	REAR SUSPENSION MANUFACTURER, MACK	REAR SUSPENSION DESIGN
511011	CAM	REAR BRAKE TYPE
698AA4	BENDIX WITHOUT TRACTION CONTROL	ANTI-LOCK BRAKE SYSTEM
6GAAX	DRV AXL SPNDL LOAD RATING R SRIES (23.6T TAND 11.8T SING)	DRIVE AXLE SPINDLE LOAD RATING
6MAA1X	REAR AXLE CASING WIDTH, STANDARD	REAR AXLE CASING WIDTH
717AB1	45/4M SYSTEM REAR WHEEL END SENSORS	ABS SENSOR/CHANNEL OPTION
7WXA1X	PETROLEUM OIL IN REAR AXLE	LUBRICANTS, REAR AXLE
8820B2	46000 LB. 20900 KG.	REAR AXLE RATING
883033	INTEGRATED TYPE	REAR AXLE SPINDLE NUT
888038	PDLO	PDLO
979019	FACTORY OPTION WELD ON ABS	WELD ON ABS BLOCK OPTION
9GAAX	ABS 4 SENSORS & 4 MODULATORS (FRONT & REAR AXLES)	ABS SENSOR & MODULATOR
FLXK1X	REAR AXLE LOAD 21 TONNES (46000 LBS)	REAR AXLE LOAD
F2XN2X	2 AXLE, 2 DRIVE/LEAF, B-RIDE	REAR AXLE INSTALLATION
GWXGX	BOGIE SPREAD, 1370MM (54.0")	BOGIE SPREAD, REAR
MAXCAX	BRAKE LINING MATERIAL, DRIVE, FED MOGUL ABEX 931-162/R301	BRAKE LINING MATERIAL DRIVE
NZAE1X	SPINDLE NUTS, MAIN AXLE, INTERGRATED	SPINDLE NUTS, MAIN AXLE
O6ABKX	21 TONNES, REAR SUSPENSION CAPACITY (46000 LBS)	REAR SUSPENSION CAPACITY
R1XK1X	DOUBLE REDUCTION REAR AXLE, MACK	REAR AXLE TYPE
R2XBDX	TANDEM AXLE 20.9T, GCW68T, D RED, MACK (S440/S462)	REAR AXLE
R3XA1X	CAST REAR AXLE CASING	REAR AXLE CASING TYPE
R6XB1X	REAR AXLE CASING, HEAVY DUTY	REAR AXLE CASING DUTY RATING
R9XA1X	REAR AXLE DIFF CARRIER HOUSING MATERIAL - IRON	DIFFERENTIAL HOUSING MATERIAL
SL3013	FACTORY OPTION LUBE - REAR AXLE	LUBRICANT - TANDEM REAR AXLE
TAX2CX	RATIO 5.04, REAR AXLE	REAR AXLE RATIO
TUXGLX	DIFFERENTIAL LOCK BETWEEN WHEELS, FRONT & REAR DRIVE AXLES	DIFFERENTIAL LOCK
U1AA1X	REAR BRAKE ADJUSTMENT, AUTOMATIC HALDEX	REAR BRAKE ADJ MANUFACTURE
U4XA1X	BRAKE DRIVE, REAR, CAST IRON BRAKEDRUM	BRAKE, DRIVE, REAR
U8XCPX	BRAKE LINING 220MM, DRIVE	BRAKE DIMENSION, DRIVE
UEXZ1X	REAR DRIVE BRAKES WITHOUT DUSTSHIELDS	DRIVE AXLE BRAKE DUST SHIELD
UGXA1X	AUXILIARY PARK, TWO EXTRA PARKING BRAKE CHAMBERS	AUX PARKING BRAKE CHAMBERS
UJXB1X	LOW MOUNTED BRAKE CYLINDER	BRAKE CYL. LOCATION
UKXA1X	BASIC LENGTH STROKE	BRAKE CYLINDER STROKE LENGTH
UPXADX	MGM PARK BRAKE CHAMBER TR-T	PARK BRAKE CHAMBER MANUFACTURE
URXD1X	BRAKE VALVE VERSION, USA-BENDIX, WHERE POSSIBLE	BRAKE VALVE VERSION
V1AB1X	REAR BRAKE CHAMBER 30 / 30 SQ INCHES (SERVICE/EMERGENCY)	REAR BRAKE CHAMBER SIZE
V5AA1X	REAR WHEEL BRAKE TYPE, "S" CAM (CAST)	WHEEL BRAKE TYPE, REAR
WNX10X	WHEEL SENSOR ANTILOCK BRAKE SYSTEM	ANTILOCK BRAKE SYST.
WRXA1X	BENDIX ANTI LOCK BRAKE	ANTI LOCK BRAKE SYS. MFG
X7AA1X	REAR WHEEL BRAKE MANUFACTURER, MERITOR	WHEEL BRAKE MANUFACTURER, REAR
XUXA1X	REAR SUSPENSION HEIGHT STANDARD	REAR SUSPENSION HEIGHT
YJXA1X	PARABOLIC SPRING (NORMAL STIFFNESS) REAR	REAR SPRING TYPE
YLXA1X	REAR SUSPENSION SYSTEM, LEAF	REAR SPRING SYSTEM
YVXA1X	SHOCK ABSORBER, REAR	REAR SHOCK ABSORBER
018AA6	CRDP150/151 AVAILABLE WITH OPTIONAL DRIVER CONTROLLED INTERW	CARRIER/RATIO - REAR AXLE
028018	VPT HAGERSTOWN - CPO FILE	REAR AXLE SUPPLIER - FBO
038028	REAR AXLE CASING HEAVY DUTY	RR AXLE CASING DUTY RATING
039019	16.5" DIAMETER	REAR BRAKE DIAMETER
OLXISX	IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT	HUB MATERIAL, DRIVE
186AC7	MACK mRIDE 46 PARABOLIC 3-LEAF, 46000#	REAR SUSPENSION - TANDEM
1CXI2X	DRIVE HUB SEAL, PREMIUM	HUB OIL SEAL, DRIVE
234064	SHOCK ABSORBERS - (4), OUTBOARD MOUNTED ON FORWARD AND REAR	SHOCK ABSORBERS - REAR
237037	AUX SPRING BRAKE QTY, 4 CHAMBERS	SPRING BRAKE CHAMBERS - QUANTITY
253AA7	MERITOR - CAM 16.5"x8 5/8" Q+	BRAKES - REAR
257504	5.04 RATIO	CARRIER/RATIO - REAR AXLE - RATIO

REAR AXLE EQUIPMENT: 63 Items

FRAME EQUIPMENT/FUEL TANKS

Code	Description	Family
243033	CENTER TOW CAPABILITY BASED ON BUMPER SELECTION	TOWING DEVICE - FRONT
271221	221"	WHEELBASE
273AA1	FULL INSIDE REINFORCEMENT, STEEL 1/4" 6.35	FRAME REINF-INSIDE
274AB2	STEEL-3/8" X 13 3/8" X 3 1/4" (CLASS 8)	FRAME RAILS
279029	FLUSH-PAINTED STEEL	BUMPER - FRONT
281A11	STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8" BELOW TOP OF RAIL	CROSSMEMBERS
288AH2	80 GALLON (300 L) ALUMINUM, 26"x24" RECTANGULAR	FUEL TANK - LH
294094	ELECTRONIC SENDING UNIT MTD ON LH. TANK	GAUGE - FUEL LEVEL
2HXD1X	MUDFLAP, FRONT AXLE, BASIC (NO ANTI-SPRAY) SHORT	MUDFLAP, FRONT AXLE
2RAA1X	BASIC FUEL LEVEL SENDER MOUNTED ON LH TANK	FUEL LEVEL SENDER UNIT



Year Model: 2021 LH64
VIN: 1M2LR2GC9MM004010
Order Number: 077507
Build Date:
In Service Date: 03/12/2020

Page 5 of 9

374111	111"	AF (OVERHANG)
4DXA6X	BUMPER, PAINTED STEEL	FRONT BUMPER
4EXD1X	ONE PIN TOWING DEVICE, FRONT	TOWING DEVICE, FRONT
5EXF1X	GUARD - RADIATOR	GUARD, UNDER FRONT
7TXF1X	RUST PROTECTION BETWEEN FRAME RAILS AND LINERS	RUST PROTECTION, ADDITIONAL
852022	FOR LH FUEL TANK	FILLER NECK SCREENS
8EXB1X	STEEL INTERMEDIATE CROSSMEMBER	INTERMEDIATE X-MEMBER MATRL
9MAA1X	FUEL TANK FILLER PIPE EXTENDED DIAMETER (3")	FUEL TANK FILLER PIPE SIZE
A0XABX	FRONT FRAME LENGTH 1525MM	FRONT FRAME LENGTH
AXXA4X	1 AUX. CROSSMEMBER, BACK TO BACK	AUX CROSSM. IN REAR OVERHANG
B28018	FURNISH RUST PROTECTION BETWEEN FRAME RAILS AND LINERS	FRAME-RUST PREVENTATIVE
F3XDWX	XM = 7930 MM, REAR AXLE POS.	REAR AXLE POSITION
HBXANX	FUEL TANK POSITION, LOWERED LEFT SIDE	FUEL TANK POSITION
J5XA1X	WITH FUEL TANK SCREEN	FUEL TANK FILTER
J8XEAX	LHS FUEL TANK, 300L (80 US GAL)	FUEL TANK, LEFT HAND SIDE
JHXB1X	FUEL HOSES, WIRE BRAIDED	FUEL HOSES
K8XB6X	FUEL TANK, RECTANGULAR, HEIGHT 610MM (26")	FUEL TANK SHAPE
KDXA1X	SINGLE MOUNTED FUEL TANK (LFUEL OR RFUEL)	FUEL TANK MOUNTING
KEXA1X	FUEL TANK MATERIAL, ALUMINUM	FUEL TANK MATERIAL
QAXU2X	BOC X-MBR&INT 1 BOLTED VERT PLT (INT X-MBR 1/8" BELOW RAIL)	X-MBR CONFIG AND POSITION
Q5AA1X	REAR CROSSMEMBER, STRAIGHT FRAME END (BASIC)	REAR CROSSMEMBER OPTIONS
Q8XB1X	ACKERMAN SETTING 2 WB.(4827-5842 MM)(191-230 US INCHES)	ACKERMAN SETTING
Q9AA1X	FRAME RAIL FREE SPACE, RIGHT SIDE	FRAME RAIL FREE SPACE
R0AZ1X	NOT POLISHED FUEL TANK	FUEL TANK FINISH
V6AA1X	FUEL TANK SUMP, LEFT SIDE	FUEL TANK SUMP
X0XATX	FRAME FLANGE WIDTH 82.5MM (3.25")	FRAME FLANGE WIDTH
X8XB1X	STEEL FORWARD REAR SUSP. CROSSMEMBER	FORW REAR SUSP. X-MEMBER MTRL
YAXF1X	9.5 MM THICK FRAME	FRAME SECTION
YBXC1X	FRAME RAIL EXTERNAL HEIGHT 340MM (13.38")	FRAME RAIL SECTION-HEIGHT
YDX7AX	REAR FRAME LENGTH, 3505 MM	REAR FRAME LENGTH
Z9XB3X	LINER, FULL VERSION 3 (6.35MM THICKNESS) (.25" THICKNESS)	FRAME INNER LINER
ZIXA1X	CROSSMEMBER, BOGIE, STEEL	CROSSMEMBER, BOGIE, MATERIAL

FRAME EQUIPMENT/FUEL TANKS: 42 Items

AIR/BRAKE

Code	Description	Family
1JAAAX	PARKING BRAKE VALVE, 1 YELLOW KNOB, ALL PARKING	PARKING BRAKE VALVE
3KA81X	AUXILIARY (WORK) BRAKE HAND CONTROL, ACCESSIBLE BOTH SIDES	AUXILIARY BRAKE CONTROL
75AAAX	BODY BUILDER, AIR PREPKIT, 7 AIR LINES, CAB TO RS FRAME	BODY BUILDER, AIR PREP KIT
K0XA1X	AIR DRYER POSITION STANDARD	AIR DRYER POSITION
U2XB1X	STEEL AIRTANK	AIRTANK MATERIAL
UWXA1X	AUTOMATIC DRAIN VALVE, HEATED	AIRTANK DRAIN VALVE

AIR/BRAKE: 6 Items

ELECTRICAL

Code	Description	Family
2PAA1X	WARNING LIGHTS ON BODY WHEN IN REV. OR PTO ENGAGED, PREP KIT	WARNING LIGHTS BODY
312006	TRUCKLIGHT TYPE ROOF MARKER for LR	IDENTIFICATION/CLEARANCE LIGHTS
3BCB1X	SIDE INDICATOR LAMP TYPE, LED	SIDE INDICATOR LAMP TYPE
3UAC3X	ROOF LAMP, RECTANGULAR FLUSH, TRUCKLITE	ROOF LAMP STYLE & MFG.
3VAB1X	ROOF LIGHT BULB, LED	ROOF LIGHT BULB
4GAA1X	PARKING BRAKE LIGHTING	PARKING BRAKE LIGHTING
5KAAAX	HEADLAMP PROTECTION	HEADLAMP PROTECTION
5RXA8X	BACKUP ALARM 87/112 DB, PRECO (ADJ TO AMBIENT SOUND)	BACK-UP ALARM
LBXR1X	ELECTRICAL SYSTEM BRIDGE PLAN (65+65PHNS)	
LJXB1X	HEADLAMP BULB TYPE, LED	HEADLIGHT LAMP TYPE
LSXH2X	DAY RUNNING LIGHT, WHEN ENG RUNNING	LOW BEAM
LVX40X	SYMMETRIC HEAD LAMP	TRAILER CONVERTER 24V/12V
M4XAAX	AUX POWER OUTLET, 12V DOGHOUSE	AUX. POWER OUTLET, INTERIOR
NEXC1X	TAIL LAMP, MULTIPURPOSE	TAIL LAMPS
PAXDOX	ALL CIRCUITS FUSE/BREAKER PROTECTED	CIRCUIT PROTECTION
Q8CH1X	CHASSIS WIRING HARNESS CASING, HEAVY DUTY	CHASSIS WIRING HARNESS CASING

ELECTRICAL: 16 Items

TRAILER CONNECTIONS

Code	Description	Family
48AA1X	EXTERIOR INDICATOR LAMP, MAIN SWITCH, BASIC	EXT. INDICATOR LMP, MAIN SWITCH

TRAILER CONNECTIONS: 1 Items

PTO

Code	Description	Family
189AJ9	PREP KIT FOR EXTENDED SHAFT PTO	PTO - REAR MOUNTED
L3XN1X	ControlLink III BODY BUILDER EL PREP KIT, REFUSE, RP170 ELEC	
T4X1PX	PTO TRANS MTD REAR, PREP KIT, PARKER-HANIFIN 890/891 SERIES	PTO TRANSM. MOUNTED

PTO: 3 Items

SPECIALTY EQUIPMENT

Code	Description	Family
8FXU1X	UNIFORM LOAD NO ADAPTATION	TRANSPORT ADAPTATION



Year Model: 2021 LR64
VIN: 1M2LR2GC9MM004010
Order Number: 077507
Build Date:
In Service Date: 03/12/2020

Page 6 of 9

SPECIALTY EQUIPMENT: 1 Items

CAB INTERIOR (A THRU G)

Code	Description	Family
145AA1	TINTED WINDSHIELD & SIDE WINDOWS & REAR WINDOW (IF EQUIPPED)	GLASS - CAB WINDOW
173004	MAK INTEGRAL A/C	AIR CONDITIONING/HEATER
198048	U.S. UNITS (PREDOMINANT)	GAUGES - METRIC
214034	TRANSMISSION GAUGE AND TRANS. OIL HIGH TEMPERATURE LIGHT	GAUGE-TRANS.OIL TEMP.
2ZX25X	TINTED WINDOW GLASS	GLASS COLOUR
31XABX	FLOOR MAT, RUBBER	FLOOR MATS
4AXB1X	MANUAL CONTROLLED CLIMATE CONTROL AIR CONDITION	CLIMATE UNIT
75AA1X	STANDARD HEATER UNIT	HEATER UNIT
ASXABX	TINTED GLASS, LOW (LEVEL OF TINTING)	REAR WINDOW FEATURES
B4BAAX	GAUGES GRADUATION (EXCL. SPDM), USA UNITS	GAUGES GRADUATION (EXCL. SPDM)
EDAA8X	TRANSMISSION OIL TEMP. GAUGE WITH HIGH TEMP.	GAUGE TRANS. OIL TEMP
IOXAFX	DOME LAMP, INTERIOR, BOTH SIDES, SWITCHES INCLUDED	DOME LAMP, INTERIOR
N8XD1X	MILES/HOUR, KILOMETER/HOUR SPEEDOM. GRADUATION	SPEEDOM. GRADUATION
PVXA2X	MECHANICAL, GRADUATED, ON FILTER	AIR RESTRICTION INDICATOR
VPXA1X	TINTED GLASS, ALL DOORS - GREEN	GLASS COLOUR DOORS

CAB INTERIOR (A THRU G): 15 Items

CAB INTERIOR (H THRU R)

Code	Description	Family
0LAA1X	AUTOMATIC AUDIO SHUTOFF, REVERSE ENGAGED	AUDIO SHUTOFF
17400N	PREMIUM STEREO, AM/FM, CD-PLAYER, MP3, WEATHER BAND, BLUETOOTH	RADIO/RADIO ACCOMODATION
1WAA1X	POWER LEAD, 5 WAY TYPE, DASH MTD	POWER LEADS
20XFRX	KEYED ALIKE 140 (M-140)	KEY TYPES FOR DOORS
21XA1X	AUX. REAR WINDOW - FIXED	AUXILIARY REAR WINDOW
2QAA1X	IGNITION TYPE, KEY	IGNITION TYPE
5EAA1X	AUDIO INTEGRATED HANDSFREE PHONE, BLUETOOTH	AUDIO INTEGRAT. PHONE HANDSFRE
5FAA1X	AUDIO COMMUNICATION CONNECTOR, USB AUDIO	AUDIO COMMUNICATION CONNECTOR
5GAA1X	AUXLINE IN CONNECTOR IN AUDIO	AUX AUDIO CONNECTOR
73AD1X	ANTENNA, RADIO, CAB COWL MTD, LH, SHORT RUBBER	ANTENNA, RADIO
9HAABX	AUDIO WAVEBANDS FM 87.75+87.9-107.9 MHZ, AM 530-1710 KHZ	AUDIO WAVEBANDS
F8XC8X	RADIO, AM/FM, CD-PLAYER, MP3, WEATHER BAND	AUDIO SYSTEM

CAB INTERIOR (H THRU R): 12 Items

CAB INTERIOR (S THRU Z)

Code	Description	Family
148AA3	2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE	WINDSHIELD WIPERS
190020	FURNISH	WINDSHIELD PROTECTOR
196096	AIR-SEARS MID-BACK SEAT C-2 W/FABRIFORM CUSHIONS	SEAT - DRIVER
1970C7	OMIT RIDER SEAT	SEAT - RIDER
1DAC1X	SEAT MFG & SERIES, DRIVER, SEARS SEATING, C2	SEAT MFG. AND SERIES, DRIVER
1EAACX	DRIVER SEAT UPHOLSTERY COLOR, BLACK	DRIVER SEAT UPHOLSTERY COLOR
1FATCX	DRIVER SEAT FEATURES, MID BACK, STD WIDTH, NO LUMBAR ADJ	DRIVER SEAT FEATURES
2WXTAX	DIAMETRE 406 MM STEERING WHEEL, RUBBER GRIP V1	STEERING WHEEL
3ZXG2X	DRIVERS SEAT, AIR SUSPENDED	DRIVER SEAT SUPPORT
4850F0	FABRIFORM CLOTH, BLACK, DRIVER SEATS	SEAT COVERING
4PXAGX	3 POINTS, DRIVER, WITHOUT PASSENGER SEAT, NO HEIGHT ADJ	SEAT BELT
5920D2	LAP & SHOULDER BELTS FOR (2) DRIVER SEATS, TO BE ORANGE IN C	SEAT BELTS/RETRACTORS
JQXAAX	WASHER RESERVOIR BASIC POSITION	WASHER RESERVOIR POSITION
NIXA1X	WIPER SWITCH, 4 POSITION	WIPER SWITCH
NPXB1X	SELF CANCELLING TURN SIGNAL	TURN SIGNALS
OUXC1X	SEAT BELT DRIVER SEAT, ORANGE	SAFETY BELT DRIVER SEAT
T2AA1X	WINDSHIELD PROTECTOR	WINDSHIELD PROTECTOR
U3CC1X	DRIVERS SEAT UPHOLSTERY, FABRIFORM CLOTH	DRIVERS SEAT UPHOLSTERY
XRXB1X	ADJUSTABLE STEERING WHEEL, 2 MOTIONS	STEERING WHEEL ADJUSTMENT

CAB INTERIOR (S THRU Z): 19 Items

CAB EXTERIOR

Code	Description	Family
016AA1	Day Cab (No Sleeper)	SLEEPER BOX
0JAA1X	CAB GRAB HANDLES, OUTER AND INNER, BASIC	CAB GRAB HANDLE
14400R	RH & LH SIT DOWN DRIVING POSITION, EXTENDED CAB VERSION	CAB
152022	LH & RH ELECTRIC HEATED & OPERATED, W/O MEMORY	MIRRORS - EXTERIOR
153023	BLACK SQUARE HEATED CONVEX MIRROR - (except on bi-fold doors	MIRRORS - CONVEX TYPE CAB DOORS
154AB0	(1) TWIN-UNDER CAB TRUMPET W/DUAL LANYARD CONTROL	HORN - AIR
28XD1X	BLACK GRILLE	FRONT GRILLE
2CXDSX	SHORT CAB LENGTH EXTENDED VERSION	CAB VERSION
2EXA1X	MANUAL TILT PUMP	CAB TILT PUMP
2LCA1X	FRONT CAB CORNER PROTECTION	CAB CORNER PROTECTION, FRONT
3GXC1X	HEATED, EL. OPERATED EXT. MIRRORS, BOTH SIDES	EXTERIOR MIRROR FEATURES
400007	BLACK, EXTENDED CAB VERSION	GRILLE
424007	LH & RH FRONT HINGED DOORS W/POWER WINDOWS BOTH SIDES	DOORS
43XABX	CLOSE VIEW MIRROR, BOTH SIDES	CLOSE VIEW MIRROR, SIDE OF CAB
45AA4X	EXT. MIRROR HOUSING SHAPE, AERO	EXTERIOR MIRROR HOUSING SHAPE
46AB1X	MAIN MIRROR ARMS MOUNTING, SPRING LOADED	MAIN MIRROR ARMS MOUNTING



Year Model: 2021 LR64
VIN: 1M2LR2GC9MM004010
Order Number: 077507
Build Date:
In Service Date: 03/12/2020

Page 7 of 9

47A81X	MAIN MIRROR HOUSING FINISH, BLACK	MAIN MIRROR HOUSING FINISH
50AA1X	ADD'L CLOSE VIEW MIRROR FINISH, BLACK	ADD'L CLOSE VIEW MIRROR FINISH
54AF1X	ADDITIONAL CLOSE VIEW MIRROR SHAPE, SQUARE	ADD'L CLOSE VIEW MIRROR SHAPE
55AA1X	HEATED ADD'L CLOSE VIEW MIRROR	ADD'L CLOSE VIEW MIRROR, HTG.
65AC1X	AIR HORN, FINISH, BLACK FINISH	AUX. AIR HORN FINISH
88AA1X	EMBLEMS OPTION, COMPLETE	EMBLEMS OPTION
FAX40X	STEERING WHEEL POS. DUAL (BOTH SIDES)	STEERING WHEEL POS.
LXXC1X	1 SINGLE ELECTRIC HORN SINGLE TONE	HORN, ELECTRICAL
LZXMI1X	AIR HORN, UNDER CAB MOUNTED, 1 TWIN, DUAL CONTROL	AUX. HORN
Q2AA1X	CAB STEP,BASIC	CAB STEP VERSION
R1AA2X	LEFT SIDE DOOR, ELECTRICAL WINDOW	DOOR WINDOW OPTIONS, LH SIDE
R2AA2X	RIGHT SIDE DOOR, ELECTRICAL WINDOW	DOOR WINDOW OPTIONS, RH SIDE
T4AF1X	BOTH SIDES DRIVER SEATS	CAB SEAT CONFIGURATION

CAB EXTERIOR: 29 Items

WHEELS & TIRES

Code	Description	Family
01XC1X	DIAM 22.5 INCH, FRONT WHEEL & TIRE	WHEEL & TIRE DIAMETER FRONT
02XC1X	DIAM 22.5 INCH, DRIVE WHEEL & TIRE	WHEEL & TIRE DIAMETER DRIVE
04XC1X	WHEEL BRAND FRONT, ALCOA	WHEEL BRAND, FRONT
05XC1X	WHEEL BRAND DRIVE, ALCOA	WHEEL BRAND, DRIVE
0AXB1X	DISC WHEEL PCD 286 MM HUB PILOT	WHEEL TYPE FRONT
08XB1X	DISC WHEEL PCD 286 MM, HUB PILOT	WHEEL TYPE DRIVE
0DXA5X	DRIVE WHEEL, SAME MATERIAL & FINISH	DRIVE WHEEL MATERIAL SAME/MIXED
0GX81X	ALUMINUM WHEEL, FRONT	WHEEL MATERIAL FRONT
0HX81X	ALUMINUM WHEEL ,DRIVE	WHEEL MATERIAL DRIVE
0PXG1X	WHEEL WIDTH 9.00 INCH	WHEEL DIMENSION FRONT
0RXE1X	WHEEL WIDTH 8.25 INCH	WHEEL DIMENSION DRIVE
15XA8X	TIRE INFLATION VALVE, STANDARD	TIRE INFLATION VALVE
1JXWJX	TIRE 315/80 ,FRONT AXLE	TIRE DIMENSION FRONT
1KXL1X	LOAD RANGE L, FRONT TIRE	TIRE LOAD CAPACITY, FRONT
1NX2RX	TIRE 11.00 ,DRIVE AXLE	TIRE DIMENSION DRIVE
1RXG1X	LOAD RANGE G, DRIVE TIRE	TIRE LOAD CAPACITY, DRIVE
1TXA1X	BRIDGESTONE, FRONT TIRE	TIRE MAKE FRONT
1UXA1X	BRIDGESTONE, DRIVE TIRE	TIRE MAKE DRIVE
23509S	POLISHED ALUMINUM DISC - ALL WHEELS - CONCAVE SIDE	WHEELS - POLISHED (REAR)
250AC1	ALUMINUM DISC	FRONT WHEEL TYPE
267AC1	ALUMINUM DISC	REAR WHEEL TYPE
3460B6	22.5x8.25 ALCOA ULTRA ONE ALUM DISC 10-HP, 11.25" BC, 6.60"OU	WHEELS - REAR
44AA1X	WHEEL FINISHING REAR, POLISHED	WHEEL FINISHING, REAR
49AA1X	WHEEL FINISHING FRONT, POLISHED	WHEEL FINISHING, FRONT
4OAB9X	BASIC, 10 HAND HOLES WHEEL STYLE, FRONT	WHEEL STYLE, FRONT
4QAD9X	WHEEL RIM OFFSET, FRONT 6.94 INCHES	WHEEL RIM OFFSET, FRONT
4WCC1X	GHG STEER TIRE CATEGORY, LOW ROLLING RESISTANCE	GHG STEER TIRE CATEGORY
4XCG1X	GHG DRIVE TIRE CATEGORY, OTHER (NON-SPECIFIED)	GHG DRIVE TIRE CATEGORY
5310L1	22.5x9.00 ALCOA ULTRA ONE ALUM DISC 10-HP, 11.25" BC, 5.96" I	WHEELS - FRONT
56AD1X	3355 KG (7,400 LB) WHEEL LOAD MAX DRIVE PER WHEEL	WHEEL LOAD MAX DRIVE PER WHEEL
57AD1X	WHEEL RIM OFFSET, DRIVE 6.60 INCHES	WHEEL RIM OFFSET DRIVE
58AD1X	BASIC, 10 HAND HOLES WHEEL STYLE DRIVE	WHEEL STYLE, DRIVE
60AL1X	4535KG (10000LB) WHEEL LOAD MAX, FRONT PER WHEEL	WHEEL LOAD MAX, FRONT
7ECESX	INSIDE WHEEL TURNING ANGLE 41 DEGREES	INSIDE WHEEL TURNING ANGLE (CA)
7MXDBX	492.0 REAR TIRE REVS PER MILE	REAR TIRE REVS PER MILE
80AA1X	WHEEL NUT & FINISH BASIC, FRONT	WHEEL NUT FINISH, FRONT
9004Y0	315/80R22.5 L BRIDGESTONE M870 (20000 lbs)	
9013E1	11R22.5 G BRIDGESTONE M726 ELA (23360 lbs) (DRIVE ONLY)	TIRES BRAND/TYPEREAR
FWT002	TWO FRONT TIRES & WHEELS	FRONT AXLE TIRE & WHEEL QUANTITY
H1EB1X	DRIVE WHEEL STUDS, LONG	
H8CB1X	TIRE SPEED LIMIT BASIC	TIRE SPEED LIMIT BASIC
N6BROX	M870, FRONT TIRE TREAD, BRIDGESTONE, ON/OFF ROAD USAGE	
N7BR5X	M726 ELA, DRIVE TIRE TREAD, BRIDGESTONE, LONG HAUL	DRIVE TIRE TREAD
RWT008	EIGHT REAR AXLE TIRES & WHEELS	REAR AXLE TIRE & WHEEL QUANTITY

WHEELS & TIRES: 44 Items

COMMUNICATION SYSTEMS

Code	Description	Family
2JCA1X	REMOTE DIAGNOSTIC SERVICES, ENABLED	REMOTE DIAG SERVICES
5JBE5X	GATEWAY WITH 4G/LTE AND WLAN	TELEMATICS COMMUNICAT GATEWAYS
K4CDAX	VEHICLE UPTIME ENABLED AUTOM. SERVICE ACTIVATION SETTING1	
M30060	TELEMATICS GATEWAY, 4G/LTE AND WLAN SYSTEM WITH DIAGNOSTIC S	TELEMATIC GATEWAY (CA)
USCD1X	REMOTE SOFTWARE UPGRADE ENABLED	
Y7CA1X	DIAGNOSTICS DISPLAY IN CLUSTER, BASIC	DIAGNOSTICS DISPLAY IN CLUSTER

COMMUNICATION SYSTEMS: 6 Items

ENGINE ELECTRONICS

Code	Description	Family
A3AZ1X	ENGINE IDLE SHUTDOWN, DISABLE	IDLE SHUTDOWN
A4AAEX	5 MIN. WARM UP TIME DELAY	IDLE S/D WARM-UP TIMER



Year Model: 2021 LR64
VIN: 1M2LR2GC9MM004010
Order Number: 077507
Build Date:
In Service Date: 03/12/2020

Page 8 of 9

A6AABX	ENGINE IDLE SHUTDOWN TIME OVERRIDDEN IF PTO ACTIVE	IDLE S/D IF PTO ACTIVE
A8AALX	38C DEG (100F), WARM UP TEMP DELAY	IDLE S/D IF WARM-UP TEMP
B0AAAX	ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT	IDLE SHUTDOWN IF POWER > LIMIT
B1ACAX	30 SEC IDLE S/D WARNING TIME	IDLE S/D WARNING TIME
B2AZ1X	ENGINE IDLE COOLDOWN, DISABLE	ENGINE IDLE COOLDOWN
B3ABAX	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH)	EL HD THROTTLE,MAX ROAD SPEED
B4ADAX	ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM	EL HAND THROTTLE,MIN ENG SPEED
B6ACEX	ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM	EL HAND THROTTLE,MAX ENG SPEED
B9AABX	ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC	EL HD THROTTLE,SPEED RAMP RATE
D2AADX	AMBIENT TEMP MIN TRESHOLD, 10 DEG C, (50 DEG F)	AMBIENT TEMP MIN TRESHOLD
D3AAEX	AMBIENT TEMP MAX TRESHOLD, 27 DEG C, (80 DEG F)	AMBIENT TEMP MAX TRESHOLD
K5XA2X	ENGINE PROTECTION (SHUTDOWN)	ENGINE PROTECTION SYSTEM
K7XH3X	IDLE CONTROL, 650 RPM	ENGINE IDLE CONTROL
M3CA1X	IDLE SHUTDOWN ABS TAMPER CHECK, ENABLED	IDLE S/D ABS TAMPER CHECK
WMXA1X	COOLANT TEMP, ENGINE SHUTDOWN	COOLANT TEMP, ENGINE SHUTDOWN
WOXA1X	OIL PRESSURE, ENGINE SHUTDOWN	OIL PRESSURE, ENGINE SHUTDOWN
X0AB0X	INCREASE 10 MINUTE MAXIMUM TIME	IDLE BATTERY CHECK

ENGINE ELECTRONICS: 19 Items

TRANSMISSION ELECTRONICS

Code	Description	Family
7790Y9	GENERAL REFUSE SERVICE (183)	
B1EB1X	AUTO NEUTRAL SINGLE INPUT W/O SHIFT SELECTOR OVERRIDE	
E1EHAX	ALLISON GPIO PACKAGE 183 REFUSE W/DUAL INPUT AUTO-NEUTRAL	
E3EAAX	ROLLING DIRECTION CHANGE INHIBIT ACTIVE	
E4EAAX	AUXILIARY FUNCTION RANGE INHIBIT ACTIVE (DATA LINK)	
E5EAAX	PRIMARY CALIBRATION SHIFT SELECT MASK 6 SPEED,1ST GEAR START	
E6EAAX	SECONDARY CALIBRATE SHIFT SELECT MASK 6 SPEED,1ST GEAR START	
F5EA1X	ALLISON PRESELECTED GEAR DURING ENGINE BRAKING - FOURTH, STD	
X9CA1X	ENGINE SMART TORQUE FEATURE, ENABLED	ENGINE SMART TORQUE FEATURE

TRANSMISSION ELECTRONICS: 9 Items

VEHICLE ELECTRONICS

Code	Description	Family
BRXAEX	ENG TORQUE LIMITED TO 50%, IF SPEED SENSOR TAMPER DETECTED	ENG TORQUE LIMIT,SPEED SENSOR
A4BAAX	DETECTION OF SPEED SENSOR TAMPERING, ENABLE	DETECTION SPEED SENSR TMRPRNG
E3AACX	MIN CRUISE, 32 KPH (20 MPH)	CRUISE CONTROL MIN SPEED
E5AACX	ENG BRK ENGAGE IN CRUISE, 3 MPH, ABOVE SET SPEED	ENG BRK ENGAGE IN CRUISE
G1AABX	ENGINE IDLE DELAY TO START LOG, 2 MIN	ENGINE IDLE DELAY TO LOG
G2AAGX	ENGINE OVERSPEED, FUELED, TIME LOG IF ABOVE 2100 RPM	ENGINE OVERSPEED,FUELED, LOG
G3AAPX	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KMH)	VEHICLE OVERSPEED, FUELED, LOG
G4AAUX	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)	VEHICLE OVERSPEED,ALL COND,LOG
G5AAHX	ENGINE OVERSPEED, ALL CONDITIONS, TIME LOG IF ABOVE 2200 RPM	ENGINE OVERSPEED,ALL COND, LOG
JCX6GX	105 KM/H ROAD SPEED LIMITER(65 MPH)	ROAD SPEED LIMITER SETTING
JDXA1X	CRUISE CONTROL	CRUISE CONTROL
JFXLLX	MAX CRUISE, 105 KPH (65 MPH)	CRUISE CONTROL, MAX SPEED
L1CZ1X	DISABLE POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT	PDLO ENGAGE VLS FEATURE
L2CA1X	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 8KMH (5MPH)	PDLO ENGAGED VLS
R5CZ1X	VEHICLE ASSISTANCE SERVICE DISABLED	VEHICLE ASSISTANCE SERVICE
WSA90X	ACTIVATE ALERT AT 90% OF THE TIME/DISTANCE SETTING	MAINTENANCE DUE ALERT %
W8BAAX	WITH SERVICE ALERT	SERVICE ALERT
W9A01X	PERIODIC TRIP LOG, DAY 1 OF THE MONTH	PERIODIC TRIP LOG DAY OF MONTH
X5AB1X	SERVICE INTERVALS, VOCATIONAL APPLICATION	VEHICLE APP SERVICE INTERVALS
X8CZ1X	ENGINE HIGH IDLE SPEED IN UPPER GEARS, DISABLED	HIGH IDLE SPEED-UPR GRS FEATUR
Y3CC5X	105 KM/H PEDAL ROAD SPEED LIMITER (65MPH)	PEDAL RSL SETTING

VEHICLE ELECTRONICS: 21 Items

PTO ELECTRONICS

Code	Description	Family
F3AAEX	PTO 1ST, SINGLE SPEED SETTING, 1000 RPM	PTO1 SINGLE SPEED CONTROL RPM.
F5AABX	1ST PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	PTO 1ST, MAX ROAD SPEED
F6AABX	PTO 1ST, SPEED RAMP RATE 100 RPM/SEC	PTO 1ST, SPEED RAMP RATE
F7AAPX	PTO 1ST, MAX ENGINE SPEED, 2100 RPM	PTO 1ST, MAX ENGINE SPEED
F8AAGX	PTO 1ST, ROAD SPEED LIMIT, 97 KMH (60 MPH)	PTO 1ST, ROAD SPEED LIMIT
F9AABX	PTO 1ST, MINIMUM ENGINE SPEED, 600 RPM	PTO 1ST, MINIMUM ENGINE SPEED
G0AZ1X	PTO 1ST, AUTO SET SINGLE SPEED, DISABLE	PTO 1ST,AUTO SET SINGLE SPEED
G8AABX	PTO 2ND, MINIMUM ENGINE SPEED, 600 RPM	PTO 2ND, MINIMUM ENGINE SPEED
G9AABX	PTO 2ND, SPEED RAMP RATE 100 RPM/SEC	PTO 2ND, SPEED RAMP RATE
H0AABX	2ND PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	PTO 2ND, MAX ROAD SPEED
H4AZ1X	PTO 2ND, AUTO SET SINGLE SPEED, DISABLE	PTO 2ND,AUTO SET SINGLE SPEED
H5AAGX	PTO 2ND, ROAD SPEED LIMIT, 97 KMH (60 MPH)	PTO 2ND, ROAD SPEED LIMIT
H6AAEX	PTO 2ND, SINGLE SPEED SETTING, 1000 RPM	PTO 2ND, SINGLE SPEED SETTING
H7AANX	PTO 2ND, MAX ENGINE SPEED, 2100 RPM	PTO 2ND, MAX ENGINE SPEED
L8CB1X	PTO1 DECEL "BUMP-DOWN" 50RPM	PTO1 DECEL BUMP-DOWN RPM

PTO ELECTRONICS: 15 Items

PAINT

Code	Description	Family
------	-------------	--------



Year Model: 2021 LR64
VIN: 1M2LR2GC9MM004010
Order Number: 077507
Build Date:
In Service Date: 03/12/2020

Page 9 of 9

2PBH1X	1 TONE CAB	CAB PAINT TYPE
5YBZ1X	HUB & DRUM PAINT PROCESS, CHASSIS COLOR	HUB & DRUM PAINT PROCESS
5ZBA1X	BUMPER PAINT PROCESS, SAME AS CHASSIS COLOR	BUMPER PAINT PROCESS
6ABZ1X	CHASSIS PAINT PROCESS, STANDARD COLOR (MACK BLACK)	CHASSIS PAINT PROCESS
68BZ1X	WHEEL PAINT PROCESS, NO CUSTOM PAINTED	WHEEL PAINT PROCESS
6JAAAX	CAB/BODY INTERIOR COLOUR, SAME AS EXTERIOR	CAB/BODY INTERIOR COLOUR
7HBZ1X	FUEL TANK PAINT PROCESS, NOT PAINTED	FUEL TANK PAINT PROCESS
922001	CHASSIS PAINT PROCESS, STANDARD COLOR (MACK BLACK) 6ABZ1X	CHASSIS PAINT PROCESS
924014	SOLID PAINT	PAINT TYPE- AREA A
944AA7	MACK WHITE; P9188	PAINT/VINYL STRIPING - CAB EXTERIOR
945998	NO SECOND TRUCK COLOR PROVIDED; NO COLOR	
946998	NO THIRD TRUCK COLOR PROVIDED; NO COLOR	
950AA4	SINGLE COLOR	PAINT/VINYL STRIPING - CAB EXTERIOR
951AA6	MACK BLACK (URETHANE)	PAINT - CHASSIS RUNNING GEAR
958018	PAINT BUMPER SAME COLOR AS CHASSIS RUNNING GEAR	PAINT - BUMPER
962032	SAME AS CHASSIS RUNNING GEAR	PAINT:HUBS & DRUMS-FRONT
963033	SAME AS CHASSIS RUNNING GEAR	PAINT:HUBS & DRUMS-REAR
990020	CAB PAINT SINGLE TONE	SMS CRITERIA CODE
993013	BLACK	CHASSIS COLOR FAMILY
994054	WHITE	AREA A CAB COLOR FAMILY
996AA3	PAINT - CAB, URETHANE CLEAR COAT	PAINT - CAB PAINT SYSTEM
BG1061	BUG CODE 6-CHASSIS RUNNING GEAR	BUG CODE CHASSIS
BG2062	BUG CODE 7-AREA A CAB	BUG CODE AREA A CAB
MP3001	ONE PAINT COLOR ONLY;1	TOTAL PAINT COLOR QUANTITY
MPB944	SAME AS FIRST COLOR - CAB	CAB COLOR

PAINT: 25 Items

CALCULATED CODES - KAX

Code	Description	Family
3HAB1X	DOT INCOMPLETE VEHICLE CERTIFICATION	VEHICLE CERTIFICATION
4CAAHX	NUMBER OF OPTIONAL SWITCHES, 8	NUMBER OF OPTIONAL SWITCHES
542002	INCOMPLETE	VEHICLE CERTIFICATION
9JXZ1X	NO, THE ORDER MUST NOT BE CALCULATED (Requires CA Quote)	PROPCALC SELECTION
TCXC1X	PROP.SHAFT DIMENSION, LARGE, SINGLE JOINT	PROP.SHAFT DIMENSION (RESULT)
TDX52X	FIRST PROP.SHAFT LENGTH 1475	PROP.SHAFT LENGTH, FIRST AXLE
TFXPVX	MAIN PROP.SHAFT LENGTH 1250	PROP.SHAFT LENGTH, MAIN AXLE
TJXA2X	TWO PIECE PROP.SHAFTS	NUMBER OF PROP.SHAFTS
TNXCX	PROP.SHAFT FIRST BRKT, POS 15	PROP.SHAFT FIRST BRKT VERTICAL
XMKA1X	PROP. SHAFT BRACKET FIRST POSITION ANGLE BASIC (90 DEGREES)	PROP SHAFT BRKT, FIRST, ANGLE
Y1XFLX	RIDE HIGHT 251-270 MM, CL AXLE TO LOWER FRAME FLANGE	REAR SPRING TYPE

CALCULATED CODES - KAX: 11 Items

BASE WARRANTY & PURCHASED COVERAGES

Code	Description	Family
898003	HEAVY DUTY WARRANTY CLASSIFICATION	VEHICLE WARRANTY TYPE
M41011	WARRANTY SMARTCODE ENGINE VE 11L	WARRANTY SMARTCODE ENGINE
M42012	WARRANTY SMARTCODE <460 HP	WARRANTY SMARTCODE HP
M50030	HEAVY DUTY STANDARD BASE COVERAGE 12 MONTHS/100,000 MILES (1	US & CANADA BASIC CHASSIS COVERAGE
M51E41	ENG PLAN 2: 60 MO/300K MI-EXT ENGINE COVERAGE MP7/MP8 <460HP	
M52022	US and CANADA EQUIPPED VEHICLE EMISSION COMPONENTS COVERAGE	EMISSION COMPONENT COVERAGE
M53093	EATS: 60 MO/300K MI-ENGINE AFTERTREATMENT	MACK ENGINE EXHAUST AFTER TREATMENT COVERAGE
M54084	ALLISON TRANSMISSIONS (Correct Allison Transmission for stan	TRANSMISSION WARRANTY
M55035	STANDARD MACK HEAVY DUTY COVERAGE 36 MONTHS / 350,000 (563,0	CARRIER & AXLE HOUSING WARRANTY
M56026	AIR CONDITIONING STANDARD COVERAGE (Sealed System Only) 12	AIR CONDITIONING WARRANTY
M57047	CHASSIS TOWING 12 MO/100K MILES	CHASSIS TOWING WARRANTY
M58028	STANDARD MACK ENGINE TOWING COVERAGE 24 MONTHS/250,000 MILES	ENGINE TOWING WARRANTY
M69089	NO GUARDDOG CONNECT (ASIST & MACK ONECALL)	GUARDDOG CONNECT BUNDLE
M92203	LR	

BASE WARRANTY & PURCHASED COVERAGES: 14 Items

Z - DO NOT USE - OBSOLETE

Code	Description	Family
517017	OMIT TRAILER AIR BRAKE CONNECTIONS	TRAILER CONNECTIONS

Z - DO NOT USE - OBSOLETE: 1 Items

TOTALS: 569 Items

Report Date: 9/24/2020 5:04:27 PM

Sanitary Equipment Company Inc.

"Do It Right The First Time"

25 Industry Drive / PO Box 29806
West Haven, CT. 06516
Phone 203-933-9599 Fax 203-933-4271
www.sanitaryequipment.com

QUOTE

Date: December 26, 2017

Doug Gregory (2)
Phone 203-927-0617
doug@sanitaryequipment.com
Ref #

Quote for:
Mr. Mike Taylor
Premier Truck Rental and Sales
5800 West Canal Road
Cleveland, OH 44126

Subject:
Labrie Right Hand HD

Line	QTY	DESCRIPTION	AMOUNT
1.)	10.00	Labrie Right Hand 31 Yard Automated Refuse Body with HD Arm	
2.)		Optional Heavy Duty Right Hand Arm	
3.)		Factory Mounted @ LABRIE	Included
4.)		Work at Idle (900) RPM with Seven Second Cycle Time	Included
5.)		Pressure Gage on Main Hydraulic Valve	Included
6.)		4 LED Back Up Lights Two on Tailgate and Two On Side Rear Fenders	Included
7.)		Dual Work Lights (Spots Arm)	Included
8.)		Grab Pack (Programmable Packer to Cycle after Pick Up)	Included
9.)		Multi Cycle Packing 3 to 8 Strokes	Included
10.)		Hot Shift PTO Transmission Mount Pump with Work @ Idle Pump	Included
11.)		80 Gallon Aluminum Hydraulic Oil Tank with Sight and Temp Gage	Included
12.)		Ergonomic Arm Rest with Air Joy Stick Controls	Included
13.)		Spill Shield Behind Gripper Assembly	Included
14.)		Hardox Hopper Liner & Wear Strips on Blade Tracks and Side Walls	Included
15.)		Anti Sail Bars On Mud Flaps	Included
16.)		Auto Lock And Unlock Hydraulic Tail Gate	Included
17.)		Body Grit Blasted / Painted with White Intron 5000 Paint Including Light	Included
18.)		Clean Out Shovel and Broom with Brackets	Included
19.)		LED Front & Rear Amber Alternating Flashing Lights	Included
20.)		All LED Lights instead of Standard Body Lighting Including Mid B	Included
21.)		All Fuses Replaced By Auto-Reset Circuit Breakers	Included
22.)		Grabbar Counting Device	Included
23.)		1 Year Cylinder Warranty on All Cylinders Except Arm Cylinders	Included
24.)	10.00	Freight to Sanitary Equipment	Included
* OPTIONS AVAILABLE *			
25.)	10.00	Triple Third Eye Back Up Cameras with Rear Facing & Hopper Camera	
26.)	10.00	Dual Arm Controls RH Side and Left	
27.)	10.00	Spill Kit & Rear Caution Sticker 75" x 24"	
28.)	10.00	20 lbs. Fire Extinguisher	
29.)	10.00	Front & Rear 4" LED Flashing Lights	

QUOTE NOTES:

Thank You for the Opportunity to Quote our Products and Services

SUBTOTAL W/ SELECTED OPTIONS

TAX RATE \$ 12.00%

SALES TAX \$ -

12% FET TAX \$ -

FREIGHT \$ -

TOTAL \$ -

If This proposal is Accepted Please Sign Below and Fax Back

Accepted By: _____ Company: _____ Date: _____

Thank you, for the opportunity to quote you on your service needs

Work Up - Quote - Order x16

Printed 4/2/2020

Michelle Medcalf

From: Scott Griffin
Sent: Tuesday, February 1, 2022 2:29 PM
To: Michelle Medcalf
Subject: Fwd: SIDELOADER QUOTE
Attachments: Loadmaster 520 31yd ASL CHASSIS SPECS 12-23-21.PDF; 2023 PETERBILT LOADMASTER ECLIPSE QUOTE.pdf; 220128-Stock-Eclipse_V1 PUBLIC.pdf; Eric Coates.vcf

Follow Up Flag: February 14, 2022 | TC Meeting
Flag Status: Flagged

Categories: Town Council | Follow-up

Sent from my Verizon, Samsung Galaxy smartphone
Get [Outlook for Android](#)

From: Coates, Eric <ecoates@tlgtrucks.com>
Sent: Tuesday, February 1, 2022 1:28:18 PM
To: Scott Griffin <sgriffin@sellersburg.org>
Cc: Farmer, Brian <bfarmer@tlgtrucks.com>
Subject: [External] SIDELOADER QUOTE

Hello Scott,

Here is a quote for a 2023 Peterbilt 520 with a Loadmaster Eclipse 31 yard. I attached the Body and chassis specs and the pricing flyer. Truck can be purchased off the Sourcewell contract.

This truck is NOT in stock and would need to be an order out. We have a few chassis build slots available, we could possible get this truck by the end of year if the stars align. We would have to move quickly if we want that to happen.

Any questions let me know.

Eric Coates
The Larson Group
Refuse Sales Specialist
(417) 865-5355 Work
(906) 321-3000 Mobile
Ecoates@tlgtrucks.com
www.tlgtrucks.com
We rent refuse trucks





Eric Coates
Refuse and Municipal Sales Professionals
TLG Peterbilt - Cincinnati
p: +19062213080
w: tlgtrucks.com e: ecoates@tlgtrucks.com





TLG Peterbilt - Cincinnati (P613)
2550 Annuity Drive
Cincinnati, Ohio 45241

Loadmaster
100 W Eleventh St
Norway, Michigan 49870
United States of America

Eric Coates
Cell Phone: 417-829-6700
Office Phone: 513-554-2200
Email: ecoates@tlgtrucks.com

Andrew Brisson

Warnings

Strong Suggestions

You have selected Allison FuelSense not desired. Peterbilt encourages to take advantage of this programming. Allison FuelSense see TSB 14-109.

When selecting the minimum recommended DEF tank capacity (option 5652980), your customer should be made aware that driver habits and adverse driving conditions can increase DEF consumption. This option is not recommended for vehicles operating i

Warnings

The selected dual stage/dual element filter contains an integral pre-cleaner. An additional pre-cleaner (3281750) will shorten the filter service interval due to increased total system restriction.

Option content is subject to final applications review.

The back of muffler protrudes 24" into the loadspace. Take this into consideration when determining your loadspace. Note: Formula to calculate usable cab to axle space is the wheelbase minus 24".

Cummins remote PTO and throttle provisions (2140150) are useful for refuse body builders. It is an easy way for them to access throttle and PTO circuits without having to cut into the cab harness. Visit the Air & Trailer: Body Interface section to select

20,000 lb. non-driving steer axles with dual steering require a minimum disc wheel load rating of 8,000 lb. Disc wheels with a load rating of less than 8,000 lb. are not strong enough to withstand steering loads.

A flipper valve is not supplied unless a flipper valve to actuate front/rear brakes (4540940) is selected. Visit the Air & Trailer: Air Equipment Miscellaneous section to select the appropriate option, if desired.

Informational Messages

The selected battery disconnect switch is not available mounted front battery box with jumper terminals mounted front of battery box (2539220). Visit the Engine: Battery Jumper Terminals section to select an appropriate option.

All orders are subject to review by Peterbilt Engineering for frame strength.

Peterbilt recommends fuel tank heaters for chassis to be used in cold climates. Visit the Tankbox workscreen to select an appropriate option.

The standard black chassis paint will receive a twelve (12) month warranty or 100,000 miles (whichever comes first). Off-road/severe service orders or applications will be limited to a 90-day chassis paint warranty or 25,000 miles (whichever comes first).



Dealer Truck Purchase Order

Dealer No.:	P613
Quantity:	1
Customer:	Loadmaster
Requested Schedule Date:	8/15/2022
CAR No.:	
Previous Chassis:	110521
Customer P.O. No.:	
Dealer P.O. No.:	
Promotion Program Code:	1342
Customer/Stock Code:	C

Unit		Chassis	
Model:	Model 520	Fr Axle Load (lbs):	20000
Type:	Full Truck	Rr Axle Load (lbs):	46000
Description 1:	31yd Eclipse ASL	G.C.W. (lbs):	66000
Description 2:	Loadmaster Owned		
Application		Road Conditions:	
Intended Serv.:	Refuse/Landfill	Class A (Highway)	94
Commodity:	Refuse, Scrap, Recycling	Class B (Hwy/Mtn)	6
		Class C (Off-Hwy)	0
		Class D (Off-Road)	0
Body		Maximum Grade:	
Type:	Automated Side Loader		6
Length (ft):	24	Wheelbase (in):	230
Height (ft):	13.5	Overhang (in):	75
Max Laden Weight (lbs):	15000	Fr Axle to BOC (in):	0.1
Trailer		Cab to Axle (in):	229.9
No. of Trailer Axles:	0	Cab to EOF (in):	304.9
Type:		Overall Comb. Length (in):	362.6
Length (ft):	0	Special Req.	
Height (ft):	0		
Kingpin Inset (in):	0		
Corner Radius (in):	0		
Restrictions			
Length (ft):	40		
Width (in):	102		
Height (ft):	13.5		

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/ Opt	Description	Weight
Base Model			
0005201	S	Model 520 Peterbilt's Model 520 is built to withstand the harsh demands of the refuse industry. The rugged, aluminum cab delivers best-in-class durability for increased uptime and lap seam construction on a zinc-coated steel sub-frame for corrosion resistance. Bulkhead-style doors provide years of watertight performance. This low-cab forward vehicle adds a new dimension of productivity and versatility. An industry-leading, 65-degree cab tilt enhances maintenance and serviceability. Body installation is cost effective and efficient and the center console provides convenient access to body control integration points.	16,475
0091180	S	Refuse, Scrap, Recycling	0
0093040	O	Refuse/Landfill Truck which picks up refuse or recycled material from curbside containers in residential areas. Operation typically includes very frequent stops and starts. Unloading can be at transfer station or at landfill (may enter landfill).	0
0095120	O	Automated Side Loader A lift-equipped truck used to pick up wheeled waste containers to load waste materials into the truck body. Requires a single operator. The load is removed by a tilt of the truck body.	0
0098170	S	United States Registry Canadian Registry Package Requires Air Conditioning Excise Tax Canada, Speedometer to be KPH ipo MPH, Daytime Running Lights and Rubber Battery Pad in Bottom of Battery Box.	0
Configuration			
0200700	S	Not Applicable Secondary Manufacturer	0
Frame & Equipment			
0514170	O	10-3/4" Steel Rails 343-450" 10.75x3.5x.375 Dimension, 2,136,000 RBM; Yield Strength: 120,000 psi. Section Modulus: 17.8 cubic inches. Weight: 1.74 lbs/inch pair	283
0601500	O	Full Steel Inner Liner	733
0611330	O	Zinc Coated Anti Corrosion Treated Frame Rails Requires Frame Rail Code. Zinc Phosphate coating will replace the standard frame rail primer and provide added corrosion prevention for your customer's operating in severe conditions or in climates where vehicle rust is common.	4
0644090	S	EOF Square without Crossmember End-of-frame square without crossmember. For use with body builder installed crossmember.	0
0651090	S	Omit Rear Mudflaps and Hangers	0
0713130	O	(2) Solid Mount Cable Hooks	40
Front Axle & Equipment			

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/ Opt	Description	Weight
1011890	S	PACCAR FX-20 Steer Axle 20,000 lbs. 4" Drop Axle is designed for applications with a gross axle weight rating (GAWR) of 20,000 pounds. Front axle is designed for demanding applications such as construction, heavy haul, refuse, and other vocational uses. Robust forged steel beam construction for long-lasting performance. It utilizes innovative tapered kingpin roller bearings for more efficient operation and improved steering efficiency. The PACCAR Steer Axle comes standard with the PACCAR warranty of 5 years, 750,000 miles.	0
1114040	O	Taper Leaf Springs, Shocks 23,000 lb Standard with Heavy Resistance Shocks.	210
1243010	S	Power Steering Sheppard M100 Dual For use with 16,000 to 20,000 lb. axle ratings. Glidekote splines on steering shaft extend service life of components.	0
1354850	S	PHP10 Iron PreSet PLUS Hubs-Air Disc Preset iron hub assemblies are designed for demanding conditions and require less maintenance while still offering dependability and superior performance. Precisely engineered to minimize roller stress under heavy loads and increase bearing life when used in demanding conditions such as wide-based single wheels and misalignment due to spindle wear.	0
1354870	S	Severe Service Disc Brake Rotor For refuse applications, providing the braking torque necessary to slow or stop the vehicle.	0
1380290	S	Bendix Air Disc Front Brakes Bendix air disc front brakes use a floating caliper design to provide foundation braking on all axles and complies with reduced stopping distance regulations.	0
1380490	O	PACCAR FX Wide Track IPO Standard 71in KPI IPO 69in front axle for improved turning radius.	0
1391480	O	Pad Dust Shields for Air Disc Brakes; Front Axle Pad dust shields for air disc brakes can increase brake life. Brake dust shields reduce the buildup of road grime, extend brake system life and prevent premature failure.	2
Rear Axle & Equipment			
1523440	S	Dana Spicer D46-172 46,000 LBS Dana Spicer D46-172 46,000 lbs tandem drive axles offer efficiency improvement, axle weight reduction and reduced lube quantity.	0
1616305	S	PHP10 Iron Preset + Hubs - Air Disc	0
1616310	O	Severe Service Disc Brake Rotor Severe Service Disc Brake Rotor for refuse applications.	0
1660040	O	Pad Dust Shields for Air Disc Brakes, Drive Axle(s)	0
1672630	O	Differential Lock Both Axles Air Rocker Switch Occupies the Space of One Gauge	60
1680280	O	Bendix Smart ATC Traction Control	2

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/Opt	Description	Weight
1680470	O	Lube Pump, Drive Axle(s) Used to circulate oil within the axle housing. Recommended for use on 46,000 or greater axles used in refuse or severe service applications.	36
1680500	S	SBM Valve Full trucks require a spring brake modulation (SBM) system for emergency braking application. This system requires an SBM valve and a relay valve with spring brakes on the rear axles. The SBM valve allows the foot valve to operate the rear axle spring brakes if a failure exists in the rear air system.	0
1682710	O	Anti-Lock Braking System (ABS) 6S6M ABS-6. Includes air braking system.	35
1684200	S	Synthetic Axle Lubricant All Axles Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.	0
1687040	S	Air Disc Rear Brakes, Tandem Drive Axle Includes Automatic Slack Adjusters.	0
1705380	O	Ratio 5.38 Rear Axle	0
1824410	O	Hendrickson HMX EX 460 46,000 LBS., 54" Haulmaax, 70K Creep Rating. Includes Traax Rod as standard, option 1920905 is not needed or available. Progressive load spring system easily adjusts to the load for an enhanced combination of empty-ride quality and loaded stability.	-67
1921375	O	16.5" Saddle Height HMX EX 400/460 IPO Std 18.5"	0
1921475	O	Shock Absorbers For HMX EX Suspension	31
1921965	O	HMX EX Double Rebound Strap Kit	0

Engine & Equipment

2074606	O	PACCAR PX-9 380@1900 GOV@2100 1250@1200 PERFORMANCE (2021 EMISSIONS)	0
		N21350 C121 68....Maximum Accelerator Pedal Ve	
		N21370 C128 68....Maximum Cruise Speed (P059)	
		N21460 C132 1400..Max PTO Speed (P046)	
		N21520 C133 5.....Timer Setting (P030)	
		N21610 C188 39....Low Ambient Temperature Thre	
		N21620 C189 60....Intermediate Ambient Tempera	
		N21630 C190 80....High Ambient Temperature Thr	
		N21550 C206 35....Engine Load Threshold (P516)	
		N21340 C209 120...Hard Maximum Speed Limit (P1	
		N21510 C225 YES...Enable Idle Shutdown Park Br	
		N21450 C231 NO....Gear Down Protection (P026)	
		N21570 C233 NO....Idle Shutdown Manual Overrul	
		N21440 C234 YES...Engine Protection Shutdown (

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/Opt	Description	Weight
		N21480 C238 NO....Auto Engine Brake in Cruise	
		N21470 C239 NO....Cruise Control Auto Resume (
		N21430 C333 0.....Reserve Speed Limit Offset (
		N21410 C334 0.....Maximum Cycle Distance (N202	
		N21590 C382 YES...Enable Hot Ambient Automatic	
		N21500 C395 0.....Expiration Distance (N209)	
		N21530 C396 YES...Enable Impending Shutdown Wa	
		N21540 C397 60....Timer For Impending Shutdown	
		N21320 C399 120...Standard Maximum Speed Limit	
		N21400 C400 252...Reserve Speed Function Reset	
		N21420 C401 10....Maximum Active Distance (N20	
		N21330 C402 0.....Expiration Distance (N207)	
2091130	S	VMUX Electronics Architecture	0
2091310	O	Engine Idle Shutdown Timer Disabled	0
2091315	O	Enable EIST Ambient Temp Overrule	0
2091372		Eff EIST NA Expiration Miles	0
2091640		Effective VSL Setting NA	0
2092017	O	Typical Operating Speed 68 MPH	0
2092032	O	Powertrain Optimized for Performance Best analysis for vehicles used in vocational applications or with heavy GCWRs.	0
2140200	S	CARB Engine Idling Compliance PACCAR PX-7, PX-9 and MX, Cummins X15 and ISX diesel engines will include the required factory installed serialized sticker on the drivers door to identify them as meeting the NOx idling standard.	0
2140450	O	Remote PTO/Throttle, 12-Pin Eng Bay Remote Control Provision	0
2140660	O	CARB Emission Warranty	0
2141990	O	Omit Chevron Engine Oil Sticker (DELO)	0
2147460	S	Bed Plate for PX-9, L9N Engines Designed to increase engine longevity by incorporating a stiffener bracket on the bottom side of the engine, inside the oil pan, for additional reinforcement. Required for all PX-9/L9N refuse applications and recommended for other high load 9-liter applications.	0
2513060	S	PACCAR 160 Amp Alternator, Brushed PACCAR 160 AMP alternator, brushed producing 160 Amps at road speed and 100 Amps at idle.	0
2521090	O	Immersion Type Block Heater 110-120V Standard location for 2.1M and 1.9M models is left-hand under cab, Model 520 is in bumper, and for Model 220 it is at the driver step. Plug includes a weather-proof cover that protects the receptacle. This pre-heater keeps the coolant in the engine block from freezing when the engine is not running.	2

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/ Opt	Description	Weight
2521110	O	Oil Pan Heater 120V/300W Oil Pan Heater 120V/300W operates via 120V ShorePower system and keeps oil warm and free flowing for instant lubrication with oil and transmission immersion heaters when the engine is not running. This option utilizes the same receptacle as the immersion pre-heater if specified together.	2
2522110	O	PACCAR 12V Starter, N/A PACCAR MX Engines PACCAR 12-volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.	0
2538040	S	3 PACCAR Premium 12V Dual Purpose Batt 2190 CCA Threaded stud type terminal. Stranded copper battery cables are double aught (00) or larger to reduce resistance.	0
2539010	O	Battery Warmer, 120V 120V heating blanket that wraps around the batteries.	0
2539220	O	Battery Jumper Terminals Mtd In Front Of Battery Box	4
2539740	O	Kissling Battery Disconnect Switch, 300 amp Mounted on battery box	3
2621000	S	2-Speed Fan Clutch For Frequent Start/Stops A 2-speed fan clutch is ideal for vocational applications where the fan clutch engagement time exceeds 10% of the engine run time. When the fan clutch is disengaged, the fan still rotates at 15-25% of the engine RPM. This fan rotation provides crucial airflow to the engine and draws virtually no horsepower.	0
2723210	S	18.7 CFM Air Compressor N/A X15. Furnished on engine. Teflon lined stainless steel braided compressor discharge line.	0
2812140	O	C-Brake By Jacobs, PX-9 Features a dedicated cam lobe design for optimum power and three-stage engine brake operation.	90
2921110	S	PACCAR Fuel/Water Separator Standard Service PACCAR Fuel/Water separator standard service intervals. High efficiency media protects critical engine components.	0
2921210	S	No Fluid Heat Option for Fuel Filter	0
2921320	O	12V Heat for Fuel Filter Fuel filter heaters help ensure a seamless flow of diesel from the tank to the combustion chamber. Eliminating any possibility of moisture freezing within the fuel filter while simultaneously increasing the fuel temperature for atomization within the engine.	0
3010400	O	Engine Protection Shutdown w/ Label Includes oil pressure, oil temperature, coolant temperature, and intake manifold temperature.	0
3114270	S	High Efficiency Cooling System Cooling module is a combination of steel and aluminum components, with aluminum connections to maximize performance and cooling capability. Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. Chevron Delo Extended Life Coolant (NOAT) extends maintenance intervals reducing maintenance costs. Anti-freeze effective to -30 degrees F helps protect	0

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/ Opt	Description	Weight
		the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 579/367 FEPTO 1325 sq in, 567/365/367: 1440 sq in, 365 FEPTO: 1184 sq in, 389/367 HH: 1669 sq in, 348: 1000 sq in, 520: 1242 sq in.	
3120320	O	Bugscreen	0
3120450	S	Stainless Steel Grille	0
3261980	S	Heavy Duty Air Cleaner Molded rubber air intake connections with lined stainless steel clamps seal to prevent contaminants in air intake.	0
3281750	O	Pre-Cleaner ECG	13
3365300	S	Exhaust Vertical LH DPF/SCR LH Back of Cab Vertical.	0
3381860	O	Exhaust 90 Degree Diffuser	0

Transmission & Equipment

4052420	O	Allison 4500 RDS-P Transmission, Gen 5 Rugged Duty Series. Includes Rear Transmission Support except on MX engines, Mobil Delvac Transmission Fluid, and Water-Oil Heat Exchange. Also includes features that monitor the transmission fluid, filter and clutch condition. Will display percent life remaining for the transmission fluid, filter and clutches on the shift selector. This information may be displayed using the Mode and Up and Down buttons. A wrench icon will also be included to indicate when the transmission fluid, filter or clutches need servicing. Suited for vehicles operating on/off highway and/or requiring PTO operation. Forward ratios: 1st-4.70, 2nd-2.21, 3rd-1.53, 4th-1.00, 5th-0.76, 6th-0.67. Reverse ratios: DR-(5.55).	390
4211000	S	SPL170 HD-XL Driveline, 1 Midship Bearing	0
4216330	S	SPL170 XL Driveline Interaxle Dana Spicer Life Series heavy-duty drive shafts are built for heavy loads over the long haul. For tandem rear axles.	0
4216660	O	Service Free Driveline Service free driveline for SPL350, SPL250, SPL170, SPL100.	0
4233910	O	(1) Dash Mounted Single Acting EOH PTO Control Electric-over-hydraulic, spec'ing PTO switch does not ensure the PTO will fit. Sends signal to Allison to engage PTO.	1
4252890	O	Allison FuelSense 2.0 Not Desired	0
4252950	O	Omit Allison Neutral At Stop	0
4256020	S	Console Mounted Push Button Shifter Allison Automatic Transmissions or LFNA Electric Vehicle	0
4256350	O	Auto Neutral AK, Allison HD/RDS Single steer left-hand or right-hand, add code 4540940 if plumbed to flip valve to actuate service brakes is desired	0
4256740	O	Allison 6-Speed Configuration, Wide Ratio Gears Allison 4500 transmission only	0

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/ Opt	Description	Weight
4256870	O	Allison Output Function S Neutral Indicator Allison output function S Neutral Indicator for PTO. Required on Refuse Packer Applications. With this configuration NEUTRAL only, PTO engagement is permitted only when the transmission is in Neutral. Once the transmission is in Neutral, the PTO is automatically engaged and fast idle is initiated when the PTO switch is on. In addition with this configuration Pack-on-the-fly, the PTO is automatically engaged and fast idle is initiated when the PTO switch is On concurrently with shifting of the transmission to Neutral.	0
4256910	O	Allison Transmission Fluid Test Port Remote coupler. The fluid test port provides easy access to transmission fluid for testing from its location under the hood on the right-hand frame rail.	0

Air & Trailer Equipment

4510210	S	Bendix AD-HF EP Air Dryer, Heater Coalescing filter, extended purge. Bendix AD-HF air filters protects the life of your engine system and components. Proven PuraGuard oil coalescing technology in the the air dryer cartridge. This oil coalescing filter ensures the removal of oil and oil aerosols before they can contaminate the moisture removing desiccant.	0
4520180	O	Air Tank Valve Guards	0
4540420	S	Nylon Chassis Hose	0
4542320	O	Central Location For Air Tank Drain Valves Wire braid hose to air tanks. (Not available with optional drain valves.)	4
4543340	O	Aluminum Painted Air Tanks All air tanks are aluminum with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.	-45
4612000	O	Route AE Lines To Allow Welding Of Sub Frame To top of frame 8" forward of back-of-cab to end-of-frame	0
4615250	O	Fitting For F/O Air Port The furnished by owner fitting air port is mounted outboard of the driver's seat. This allows operators access to pressurize truck air, to maintain clean air in the cab.	0

Tires & Wheels

5064010	S	FF: BR 20ply 315/80R22.5 M870 Efficiency Rating: Fair Diameter= 42.8 inches; SLR= 19.9 inches The Bridgestone M870 is a high scrub All-Position Radial tire designed specifically for urban waste collection.	0
5164010	O	RR: BR 20ply 315/80R22.5 M870 Efficiency Rating: Optimal High-scrub all-position radial tire engineered specifically for refuse,	376

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/Opt	Description	Weight
		high-scrub and short-haul applications.Tandem steer axles. Diameter= 42.8 inches; SLR= 19.9 inches	
5190008	S	Code-rear Tire Qty 08	0
5220520	O	FF: Alcoa 89U637 22.5 X 9.00 High Polish Aluminum, Ultra ONE technology that saves more than 50 lbs. versus a comparable steel wheel. Built for refuse, logging, mining and other heavy haul applications that demand a tough wheel. Each wheel offers a 10,000 lbs. load rating.	-110
5320530	O	RR: Alcoa 89U647 22.5X9.00 High Polish Aluminum. Ultra ONE wheels with MagnaForce alloy.	-216
5390008	S	Code-rear Rim Qty 08	0
5400100	O	Install Allegro V2B Caps Inflate thru valve.	0
5409300	O	Wheel Guards, Tandem Axle Wheel guards provide a protective barrier to maintain the integrity between the brake drums and wheels to ensure the maximum life for your polished wheels.	0
5409310	O	Wheel Guards, Steer Axle Wheel guards provide a protective barrier to maintain the integrity between the brake drums and wheels to ensure the maximum life for your polished wheels.	0
Fuel Tanks			
5556130	O	26" Aluminum 80 Gallon Fuel Tank LH BOC Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.	13
5604080	O	Location LH BOC 80 Gallon	0
5650490	S	Fuel Cooler Required with single fuel tank	0
5652890	S	DEF Tank Mounted LH BOC Models 220 and 520 mounted left hand back-of-cab.	0
5652980	S	DEF To Fuel Ratio Between 1:1 And 2:1	0
5655069	S	DEF Tank 520, 7.3 Gal	0
Battery Box & Bumper			
6011070	O	Aluminum Battery Box LH Frame Mtd Back-of- Fender Aluminum battery box left hand frame mounted back-of-fender. 8" Below top of frame.	0
6030150	O	Rubber Battery Pad In Bottom of (1) Battery Box Mat in box that holds batteries only	4
6121710	O	Steel Bumper Channel Chromed Includes two front tow eyes with pins	0

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/ Opt	Description	Weight
Cab & Equipment			
6501090	O	53" LCF ProBilt Cab RH Drive Use with auto-trans. Includes steel frames with aluminum and fiberglass panels, all aluminum doors, dual door stops, door locks, tinted safety glass thru-out, cab and door mounted entry grab handles, 65 degree hydraulic tilt, stainless steel grille, dual rear cab fenders, service module BOC (cab tilt pump, oil fill and dipstick, coolant fill and check, fluid fill and dipstick for auto trans), door mounted armrests, power windows, doghouse full insulation, rubber floor mats, ergonomic center control console, removable instrument panel, Driver Information Display, LED backlit gauges, adjustable side flip-down interior sunvisor, 16" steering wheel with integrated horn button, tilt/telescopic adjustable column, over-door storage, driver and passenger side cup holders, USB charging port and 12VDC charging outlet, header includes HVAC controls, rear cab corner windows, 18" bolt-on step on each side, self-canceling turn signals and Front Directional and Side Mounted Turn Signals.	0
6800500	S	4.5" Rubber Flares On Cab And wheel well fenders	0
6914160	O	Sears C2 Plus Premium Driver Seat Enhanced for operator comfort with a 1" thicker foam cushion with flat bolsters for greater surface area coverage. Countoured metal seat and back pans add to overall ergonomic design with air lumbar supprt. Comes with quick attach seat and back cushions for ease of service and replacement.	0
6921720	S	Peterbilt Passenger Seat	0
6931120	O	Seat Belt Color Orange IPO Standard Black	0
6934040	O	Driver LH Arm Rest With Headrest RH Drive, C2+ Seat Only.	0
6939400	O	Air Ride Driver	43
6939430	O	Mid Back Driver	0
6939470	S	Vinyl Driver	0
6939510	S	Non-Air Ride Passenger	0
6939540	S	Low Back Passenger	0
6939570	S	Vinyl Passenger	0
7000000	S	Gray Interior Color Includes ABS gray headliner & rear cab panel, gray vinyl engine tunnel cover. For LH, RH, and dual steer dual seated power windows are standard on both doors. For dual steer RH stand-up the LH window is power and the RH window is a manual sliding window.	0
7000045	O	High-Visibility Interior Grabhandles, Painted Bright yellow interior grabhandle for vocational vehicles.	2

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/ Opt	Description	Weight
7001520	S	Adjustable Steering Column - Til/Telescope	0
7001620	S	Steering Wheel With Peterbilt Logo Steering Wheel with embossed Peterbilt logo over horn button.	0
7040060	O	Diamond Plate Floor Covering LH/RH ipo Floormat In Dual Steer application RH Diamond Plate covering is standard. Single drive applications the Diamond Plate is optional.	13
7110680	S	Exterior Cab Entry Grabhandle Textured; NFPA compliant. Available on Day Cab specifications only.	0
7220130	S	Rear Window Back of Cab Standard Tint 18.5in X 54in	0
7230350	S	2-Piece Flat Windshield	0
7322010	S	Combo Fresh Air Heater/Air Conditioner With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0
7330920	O	(2) Defroster Fan On Rear Header	60
7410040	O	Outside Sunvisor - Stainless Steel Not available with 2.1M high roof sleeper.	4
7560100	O	Mirrors SSTL Each Side Heated and Motorized with Switch on Door.	-7
7560850	O	(2) Convex 8 Inch SSTL Mirrors Center mounted under mirror bracket. If rear view mirrors are heated, the convex mirrors will be heated. Option includes dual door stops.	2
7620620	O	(2) Air Horns 24.5" Chrome - Round w/Horn Shields	8
7722120	O	ConcertClass, AM/FM, Weatherband, 3.5 Aux	10
7725740	O	Midlevel Speaker Package For Cab (4) Speakers	6
7728020	O	Bluetooth Located On Driver Side	0
7728030	O	Radio Mute When In Reverse For automatic or automated transmission	0
7728040	O	Bluetooth Phone and Audio Requires USB Port	0
7728050	O	USB Port	0
7788055	S	SmartLINQ Remote Diagnostics SmartLINQ is Peterbilts proprietary remote diagnostics service which monitors the engine and aftertreatment for diagnostic codes providing real-time code analysis maximizing vehicle uptime and strengthening the fleets partnership with their dealer. SmartLINQ provides fault coverage for over 800 codes, a customizable email notification for 116 codes plus a web portal to manage your entire fleet included at no additional charge. SmartLINQ is compatible with any telematics system and doesnt require a specific fleet management system. For those whose customers utilize PeopleNet, the pre-wire with remote diagnostics will provide a more integrated solution utilizing the existing SmartLINQ modem. For those whose customers utilize other fleet	0

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/Opt	Description	Weight
		services products, the existing pre-wire option for the other fleet service devices will continue to be available. Standard on Class 8 engines and available on Models 348, 337, 330 and 325 with a PX-9, PX-7 or Cummins Westport natural gas engine.	
7788057	O	24 Months SmartLINQ Subscription PACCAR PX Engines.	0
7850045	O	Windshield Reservoir Fill Tube Routed To Back Of Cab with RH sit down cab.	0
7851330	O	Cab Tilt Pump Air Assist	0
7851870	O	Rain Gutters Over Driver and Passenger Doors	8
7852150	S	Peterbilt Pantograph Windshield Wipers With intermittent feature.	0
7900090	O	Triangle Reflector Kit, Ship Loose Florescent triangle emergency road flares are designed to meet and exceed all DOT standards.	13
7900270	O	Fire Extinguisher, Cab Mounted Hazmat approved UL listed/rated ABC	12
7901140	O	Backup Alarm (87-112 DB) Variable adjusting	6
8011800	O	Drive Axle #1 Front Oil Temperature Gauge Located in Digital Cluster Display.	0
8011810	O	Drive Axle #2 Rear Oil Temperature Gauge Located in Digital Cluster Display.	0
8011850	S	Transmission Oil Temperature (Main) Located in Digital Cluster Display.	0
8021315	S	Air Restriction Indicator Mounted on exhaust stanchion	0
8031120	O	Warning Light Battery Disconnect, Switch Engaged Marker light external mounted	0
8070010	O	Up To (4) Additional Electric Switches Up to (4) additional electric switches without wiring. Switch will short pin5 to pin 4 when off, and pin 5 to 6 when on. Backlighting provided by Lin jumper.	1
8070260	O	Switch To Deactivate ATC Traction Control Bendix ATC is required on the specification. Switch is to temporarily disable the Traction Control in extreme conditions such as snow, ice or mud. The ATC warning light will display in a constant state.	0
8070810	O	Engine Manifold Pressure (Turbo Boost) Located in Digital Cluster Display	0
8070860	O	Main Instrumentation Panel Digital Cluster 7" Display includes: Physical (Analog) - Speedometer, Tachometer, Oil Pressure, Coolant Temp and Display Gauges - Fuel Level, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure for air brake trucks.	0
8110150	O	Headlights Single Rectangular LED Model 520 LED headlights provide outstanding brightness and coverage that can help with driver eye-fatigue. LED headlights are easy to install, long lasting, energy efficient and cost effective and they provide improved headlight brightness.	0

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Sales Code	Std/ Opt	Description	Weight
8120570	S	(5) LED Clearance With (2) LED Marker Lights Includes (5) lights mounted on roof of cab and (1) cab side marker light mounted in front of each cab door	0
8131560	O	(2) Peterbilt Fog Lights Recessed in bumper	6
8133900	S	None Furnished Stop/Tail/Backup Lights Available with full truck only, not available with tractor	0
8133960	O	Daytime Running Lights The brake interlock turns the daytime running lights off when the parking brakes are engaged. This is required on all Canadian vehicles.	0
8134160	O	Self-Canceling Turn Signal	0
8153100	O	(1) F/O Load Light, Switch, 10' Wire Coil Under / in cab / sleeper baggage compartment	2

Paint

8500710	S	Standard Paint Color Selection	0
8530770	O	(1) Color Axalta Two Stage - Cab/Hood Base Coat/Clear Coat N85020 A- L0006EY WHITE N85500 CAB ROOF L0006EY WHITE N85200 FRAME L0001EA BLACK	0

Shipping Destination

Options Not Subject To Discount

9400090	S	Peterbilt Class 8 Standard Coverage 1 year/100,000 Miles (160,000 km)	0
9400094	S	PACCAR PX-9 Standard Coverage 2 yrs/250,000 mi (402,336 km)/6,250 hrs	0
9407103	O	Prepaid Freight Increase For 2022 Delivery	0
9408701	O	Base Warr: Emissions (CARB Surcharge) 5YR/150K MI - PX-9 Engine	0
9408936	O	Frame Layout Identical to Previous Chassis Narr 110521	0
9408938	U	PDI at Larson Group PDI Center	0

Miscellaneous

9409055	O	State Registry: California	0
---------	---	-----------------------------------	---

Promotions

Order Comments

Price Level: January 1, 2022

100% Complete

Date: December 23, 2021

Deal: 31yd Eclipse ASL

Quote Number: QUO-895850-H0S2F0

Printed On: 12/23/2021 7:01:43 AM



Total Weight

18,564

Prices and Specifications Subject to Change Without Notice.

FET calculation is not complete until the chassis is submitted with applicable sales allowance and final components have been verified.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information



Customer: Loadmaster
Dealer Name: TLG Peterbilt - Cincinnati
Date:

Chassis:
Dealer Code: P613

Reviewing Sales Coordinator: _____

Area	Code	Color Name		HDG	GLS	DOI	OPM
A-	L0006EY	WHITE	1	0.2	92	84	7
CAB ROOF	L0006EY	WHITE	1	0.2	92	84	7
FRAME	L0001EA	BLACK	1	0.2	99	97	9

PAINT OPTIONS:

Frame Paint
Miscellaneous Paint

Paint characteristics may improve if Base Coat/Clear Coat is selected.
Please contact your Peterbilt Division Inside Sales Representative for possible paint alternatives.

Price Level: January 1, 2022
Deal: 31yd Eclipse ASL
Printed On: 12/23/2021 7:01:43 AM

100% Complete

Date: December 23, 2021
Quote Number: QUO-895850-H0S2F0



Shipping Destinations

Intermediate Destination: NONE

Final Destinations	Quantity
Loadmaster 100 W Eleventh St Norway, Michigan 49870	1

Price Level: January 1, 2022
Deal: 31yd Eclipse ASL
Printed On: 12/23/2021 7:01:43 AM

100% Complete

Date: December 23, 2021
Quote Number: QUO-895850-H0S2F0



PETERBILT OF LOUISVILLE



\$303,275.00



2023 *Peterbilt* 520 with 31 yard Loadmaster Eclipse

Chassis Specs: 2021 PETERBILT 520 RIGHT HAND DRIVE ONLY

ENGINE: PACCAR PX-9 380 H.P. W/ 1250 TORQUE

ALLISON: 4500RDS 6 SPEED

AXLES: FRONT 20,000LBS, REAR 46,000LBS


SUSPENSION: FRONT MULTI LEAF; REAR HAULMAAX

DIFF LOCKS BOTH AXLES, AC, AIR RIDE DRIVER SEAT, POWER
WINDOWS, POWER LOCKS, BLUETOOTH RADIO, POWER MIRRORS,
BLOCK HEATER, JAKE BRAKE, AIR DISC BRAKES FRONT AND REAR,

BODY SPECS: LOADMASTER ECLIPSE 31 YARD SIDE LOADER BODY

12' REACH, FRONT PUMP, CURB CONTROL, STROBES, 3 CAMERA
SYSTEM, HOPPER AND ARM WORK LIGHT, TOOL HOLDER WITH FIRE
EXTINGUISHER UNDER BODY

Sourcewell price \$303,275.00





Company Address 100 9th Ave.
Norway, Michigan 49870
US

Phone (906) 563-9226

Quote Number 9758

Created Date 1/28/2022

Opportunity Name 220126-Stock-Eclipse 31

Quote Name 220126-Stock-Eclipse

Expiration Date 2/28/2022

Prepared By Al Michaud

Email amichaud@loadmaster.org

Contact Name Eric Coates

Account Name Truck Component Services (TCS)

Phone 417-829-6700

Quantity	Part Number	Description	Sales Price	Discount	Total Price
1.00	A01003	Eclipse 31 Yd Automated Side Loader			
1.00	9999999	Full Factory Mount New Chassis			
1.00	9999999	Polyurethane Enamel Paint Customer Specified			
1.00	A02035	Front Pump Pete 520			
1.00	A02000	1/4" Hopper Floor Liner			
1.00	A10010	Center Pod (4) Oval Amber LED (1) Red Brake Light			
1.00	A02014	Curbside Control Option			
1.00	A02012	LED Strobe System (2) 4" Front of Body,			
1.00	A02004	LED Strobe System (4) 4" Dia T/G			
1.00	A10015	LED Work Lights			
1.00	A10042	Rosco 3 Camera System			
1.00	A10040	Three Tool Holder w/ 20 Lb Fire Extinguisher Holder			

Michelle Medcalf

From: Scott Griffin
Sent: Wednesday, January 26, 2022 2:24 PM
To: Michelle Medcalf
Subject: Fwd: FW: [External] ASL Quotes
Attachments: City of Sellersburg Mack ASL Quote 1-14-22-1-JC.pdf; City of Sellersburg Autocar ASL Quote 1-14-22-2-JC.pdf; NWT_SidewinderXTR_S_137771 (1).pdf

Follow Up Flag: February 14, 2022 | TC Meeting
Flag Status: Flagged

Categories: Town Council | Follow-up


Sent from my Verizon, Samsung Galaxy smartphone
Get [Outlook for Android](#)

From: jclindaniel@meieq.com <jclindaniel@meieq.com>
Sent: Tuesday, January 25, 2022 8:51:26 AM
To: Scott Griffin <sgriffin@sellersburg.org>
Subject: FW: FW: [External] ASL Quotes

Scott,

Please let me know when you receive this email. Thank you!

Jocelynn Clindaniel
Regional Territory Manager - Indiana & Louisville, KY
Mobile: 502-216-0353
Email: jclindaniel@meieq.com



Municipal Equipment, Inc.

6305 Shepherdsville Rd Louisville, KY 40228
PO Box 197809 Louisville, KY 40259
Office: 800-248-7590 • Fax: 502-962-6499

www.municipalequipmentinc.com

From: jclindaniel@meieq.com <jclindaniel@meieq.com>
Sent: Wednesday, January 19, 2022 3:51 PM
To: 'csmith@sellersburg.org' <csmith@sellersburg.org>; 'mmedcalf@sellersburg.org' <mmedcalf@sellersburg.org>
Subject: FW: ASL Quotes


This was bounced back to me. Please let me know when you receive it. Thank you!

Jocelynn Clindaniel

Regional Territory Manager - Indiana & Louisville, KY

Mobile: 502-216-0353

Email: jclindaniel@meieq.com




Municipal Equipment, Inc.

6305 Shepherdsville Rd Louisville, KY 40228

PO Box 197809 Louisville, KY 40259

Office: 800-246-7590 • Fax: 502-963-6499

www.municipalequipmentinc.com



Municipal Equipment, Inc.
6305 Shepherdsville Road
Louisville, KY 40228
(502) 962-9527
FAX: (502) 962-6499

QUOTE

Number: 1-13-22-1-JC

Date: 1-13-22

Page: 1 of 1

To:

Town of Sellersburg, IN
Attn: Charlie Smith
316 E Utica St
Sellersburg, IN 47172

Ship To:


Delivery	Sales Rep	FOB	Ship Via	Terms	Sales Tax	Excise Tax
See Below	Jocelynn Clindaniel	Sellersburg, IN	BW	Net 15 Days	INCLUDED: NOT INCLUDED: XX	INCLUDED: NOT INCLUDED: XX

QTY	Description	Unit Price	Total Price
1	<p>2023 Mack LR 64R VIN—007809</p> <p>31 yd New Way Sidewinder</p> <p>MP7 Engine 355 HP</p> <p>Allison 4500 RDS Automatic Transmission</p> <p>20,000 lb Front Axle</p> <p>46,000 lb Rear Axle</p> <p>Arm Spill Shield</p> <p>Cleanout Chute Extension</p> <p>Hydraulic Hopper Cover</p> <p>White Paint Color—Match Chassis</p> <p>Light Package: LED Mid Body Backup Lights, LED Work Lights, Integrated strobes (2) mounted lower tailgate, (2) Mounted Front Bulkhead</p> <p>Arm controls Rocker Switches Under Seat</p> <p>Safety Vision Triple Camera System—Rear, Hopper, Side of Body Facing Arm</p> <p>FOB Sellersburg, IN</p> <p>Estimated Completion September / October 2022—Based on current production; Leadtimes subject to change</p> <p>Unit subject to prior sale; Must receive signed order to claim unit</p> <p>Quote is Valid for 7 days</p> <p>Applicable State and Federal Sales Tax not included</p>	\$308,348.00	

Jocelynn N Clindaniel
MUNICIPAL EQUIPMENT, INC.

ACCEPTED BY

DATE



Municipal Equipment, Inc.
6305 Shepherdsville Road
Louisville, KY 40228
(502) 962-9527
FAX: (502) 962-6499

QUOTE

Number: 1-13-22-2-JC

Date: 1-13-22

Page: 1 of 1

To:

Town of Sellersburg, IN
Attn: Charlie Smith
316 E Utica St
Sellersburg, IN 47172

Ship To:

Delivery	Sales Rep	FOB	Ship Via	Terms	Sales Tax	Excise Tax
See Below	Jocelynn Clindaniel	Sellersburg, IN	BW	Net 15 Days	INCLUDED: NOT INCLUDED: XX	INCLUDED: NOT INCLUDED: XX

QTY	Description	Unit Price	Total Price
1	<p>2022 Autocar ACX64</p> <p>31 yd New Way Sidewinder Cummins L9 360HP Engine Allison 4500 RDS Automatic Transmission 20,000 lb Front Axle 46,000 lb Rear Axle Arm Spill Shield Cleanout Chute Extension Hydraulic Hopper Cover White Paint Color—Match Chassis Light Package: LED Mid Body Backup Lights, LED Work Lights, Integrated strobes (2) mounted lower tailgate, (2) Mounted Front Bulkhead Arm controls Rocker Switches Under Seat Safety Vision Quad Camera System—Rear, Hopper, Side of Body Facing Arm, Blind-spot Rake Teeth Breaker Bar</p> <p>FOB Sellersburg, IN</p> <p>Estimated Completion April/May 2022—Based on current production; Leadtimes subject to change</p> <p>Unit subject to prior sale; Must receive signed order to claim unit</p> <p><i>Quote is Valid for 7 days</i></p> <p>Applicable State and Federal Sales Tax not included</p>	\$327,989.00	

Jocelynn N Clindaniel
MUNICIPAL EQUIPMENT, INC.

ACCEPTED BY

DATE

SIDEWINDER XTR



SERIES



TRACTION IN ANY ENVIRONMENT

With the New Way® Sidewinder XTR™ Automated Side Loader, efficiency is always at your side. Enjoy smooth one-operator convenience and a faster compaction rate than any other side loader on the market. Combine the strongest frame-mounted arm in the industry—boasting a 12-foot reach—with the convenience of automated loading and the ability to maneuver in tight spaces and you have an agile, ultra-tough, overbuilt loader.

SIDEWINDER[™]XTR



GENERAL SPECIFICATIONS

Model	22 A	24 A	29 A	31 A
Body Capacity	22 yd ³	24 yd ³	29 yd ³	31 yd ³
Body Width (A)	96"	96"	96"	96"
Body Height (B)	108"	108"	108"	108"
Body Length (C)	237"	247"	286"	297"
Raised Tailgate Height	213"	213"	213"	213"
Body Height (Raised)	195"	195"	229"	229"

MINIMUM CHASSIS SPECIFICATIONS

Model	22 A	24 A	29 A	31 A
Minimum GVWR	46,000 lbs	46,000 lbs	64,000 lbs	64,000 lbs
Cab to Trunnion	160"	160"	194"	194"

PACKER SPECIFICATIONS

Hopper Capacity	6 yd ³
Packer Sweep Volume	2 yd ³
Packer Cycle Time	21 sec.
Ram Penetration	8.5"
Ram Compaction Force	75,000 lbs @ 3,000 psi

ARM SPECIFICATIONS

Arm Extension	144"
**Arm Lifting Capacity	Up to 1,000 lbs
Horizontal Mast Bearings	6
Arm Cycle Time	6-8 sec.

BODY CONSTRUCTION

Roof	10 gauge	BOX
Sides	1/2"	AR450
Packer Panel	1/4"	AR450
Body Floor	3/8"	AR450
Tailgate Back	1/8"	AR450
Tailgate Sides	10 gauge	BOX
Hopper Floor/Sides	1/4"	AR450
Ram Guide	7/8" x 3"	AR400 wear strips top 1/4" sides

HYDRAULIC SYSTEM

Oil Reservoir	70 gal
Oil Flow Rate	
Body	20 gpm @ 750 RPM
Arm	18 gpm @ 750 RPM
Body Operating Pressure	
22-24 yd ³ units	2,500 psi
29-31 yd ³ units	3,000 psi
Arm Operating Pressure	2,000 psi
Hoses	4-to-1 burst
Return Filters	Dual in-tank 10 micron absolute

HYDRAULIC CYLINDER SPECIFICATIONS

Tailgate Cylinders	3" x 30" x 2"
Pack Panel Cylinders	4" x 43" x 2.5"
Gripper Cylinder	1.5" x 5" x 1"
Vertical Lift Cylinder	3" x 16" x 2"
Body Hoist Cylinder	
22-24 yd ³	6.5" x 150" 4-Stroke
29-31 yd ³	6.5" x 180" 4-Stroke
Horizontal Mast Cylinder	2" x 54" x 1.25"
Hopper Cover Cylinder	2" x 18" x 1.25"

STANDARD EQUIPMENT

- Pack-on-the-Go
- Twin 14.5" x 7" drop out doors
- Chrome cylinder rods w/scrappers
- Interlocked side access hopper door
- Nitro carbonate single hoist cylinder
- Sight gauge on reservoir tank
- Tailgate ajar alarm
- Imron elite protective paint
- High grade hydraulic fluid
- Dual camera system
- Reinforced frame-mounted arm
- In-line heavy duty grippers
- Sealed roller bearings on packer follower panels
- Ergonomic in-cab control panel and joystick
- Smooth body sidewall design
- Positive automatic tailgate lock
- Back-up alarm
- Body ajar alarm
- Horn meter
- "Arm stowed" indicator
- LED lights
- ANSI Z245.1-2017 compliant
- Multi-cycle packer
- Home position arm lock
- Fold-up valve door

OPTIONAL EQUIPMENT


- Hydraulic hopper cover
- 300 gallon gripper
- Camera options
- Additional arm controls
- Hopper ladder
- Broom/shovel racks
- Arm cycle counter
- CNG powered
- West Coast/Lightweight model also available (1,500 lbs reduction)
- Choice of control systems:
 - Air over hydraulic controls
 - CAN bus controls for in-cab diagnostics
- In-cab adjustable gripper pressure
- Also available in 18, 20 and 33 yd models

†As measured from top of truck frame.

*Any Chassis sent to Scanton Manufacturing with less than the minimum guideline requirements will not be mounted. (Chassis must be capable of carrying the net weight of the body plus the weight of the refuse collected.)

**May require optional equipment.

AUTHORIZED NEW WAY DISTRIBUTOR



NEW WAY[®] Driving The Difference

McLaughlin **NEW WAY COMPANIES** • 800.831.1858 • www.newwaytrucks.com

21-2356 REV 07/21